By: Ketchings, Moore (60th)

To: Transportation

## HOUSE BILL NO. 683

- AN ACT TO AMEND SECTION 63-5-27, MISSISSIPPI CODE OF 1972, TO
- 2 EXEMPT CERTAIN VEHICLES USED TO TRANSPORT CRANES AND HEAVY LIFTING
- 3 EQUIPMENT, INCLUDING MOBILE CRANES, FROM THE MAXIMUM AXLE SPACING
- 4 AND TIRE LOADING RESTRICTIONS FOR HIGHWAYS; AND FOR RELATED
- 5 PURPOSES.
- 6 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF MISSISSIPPI:
- 7 SECTION 1. Section 63-5-27, Mississippi Code of 1972, is
- 8 amended as follows:
- 9 63-5-27. (1) Subject to the maximum gross single axle or
- 10 tandem axle weights hereinafter specified, the gross single or
- 11 tandem axle weights shall not exceed five hundred fifty (550)
- 12 pounds per inch of tire width. The gross weight on any single or
- 13 tandem axle thus derived shall be subject to a tolerance not in
- 14 excess of five hundred (500) pounds provided that the total
- 15 allowable gross weight of the single or tandem axle shall not
- 16 exceed the maximum limitations allowed hereinafter.
- 17 (2) The gross weight imposed on the highway by the wheels of
- 18 any one (1) single axle of a vehicle shall not exceed twenty
- 19 thousand (20,000) pounds exclusive of the tolerance provided in
- 20 Section 63-5-33. A single axle shall be defined as an assembly of
- 21 two (2) or more wheels whose centers are in one (1) transverse
- 22 vertical plane or may be included between two (2) parallel

- transverse vertical planes forty (40) inches apart extending across the full width of the vehicle.
- 25 (3) The gross weight imposed on the highway by any tandem
- 26 axle shall not exceed thirty-four thousand (34,000) pounds
- 27 exclusive of the tolerance provided in Section 63-5-33. A tandem
- 28 axle shall be defined as any two (2) or more consecutive axles
- 29 whose centers are more than forty (40) inches but not more than
- 30 ninety-six (96) inches apart. No one (1) axle of any such group
- 31 of two (2) or more consecutive axles shall exceed the weight
- 32 permitted for a single axle.
- 33 (4) (a) Vehicles designed and especially constructed to
- 34 transport concrete products and which are not available for
- 35 purchase in sizes and capacities to fully comply with the road and
- 36 bridge weight laws of the State of Mississippi shall not be made
- 37 to conform to the axle spacing requirements or axle or tire
- 38 loadings of this section or to the total combined weights as set
- 39 out in Section 63-5-33 in Table III, provided (i) that such
- 40 vehicles shall be limited to a gross weight of sixty thousand
- 41 (60,000) pounds; (ii) that such vehicles shall only be operated
- 42 within fifty (50) miles of their home base; (iii) that any such
- 43 vehicles shall be limited to a maximum load of the rated capacity
- 44 of the vehicle; (iv) that all such vehicles shall have at least
- 45 three (3) axles; and (v) that all vehicles with only three (3)
- 46 axles shall have all wheels brake-equipped. Any two (2) or more
- 47 axles close enough to be considered an axle group shall be
- 48 suspended by an equalizing system and be spaced a minimum of four
- 49 (4) feet apart in order to be eligible for the maximum load as
- 50 provided in this subsection. It shall be a violation if vehicles
- 51 to which this subsection applies travel upon any federal
- 52 interstate highway or upon any roads or bridges designated and
- 53 posted as incapable of carrying such loads by the Transportation

54 Commission, a board of supervisors, or municipal governing

55 authorities as provided in subsection (5) or (6) of this section.

56 (b) Vehicles designed and especially constructed to 57 transport raw cotton from harvest to the cotton gin shall not be

58 made to conform to the axle spacing or axle or tire loadings of

59 this section. However, such vehicles (i) shall be limited to a

60 gross weight of sixty thousand (60,000) pounds; (ii) may be

61 operated only within a fifty (50) miles radius of their home base

62 or their contractual customer; (iii) shall be limited to a maximum

load of the rated capacity of that vehicle; (iv) shall have all

64 wheels brake equipped; and (v) are prohibited from traveling upon

65 any federal interstate highway or upon any roads or bridges

designated and posted as incapable of carrying such loads by the

Mississippi Department of Transportation, a board of supervisors

68 or municipal governing authorities as provided in subsection (5)

69 or (6) of this section.

63

66

67

71

72

73

70 (c) Vehicles designed and especially constructed to

collect and transport solid waste and which are not available for

purchase in sizes and capacities to fully comply with the road and

bridge weight laws of the State of Mississippi, shall not be made

74 to conform to the axle spacing or tire loadings of this section.

75 However, such vehicles (i) shall be limited to a gross weight of

76 sixty thousand (60,000) pounds; (ii) may be operated only within a

77 fifty (50) mile radius of their home base or their contractual

78 customer; (iii) shall be limited to a maximum load of the rated

79 capacity of that vehicle; (iv) shall have all wheels

80 brake-equipped; and (v) are prohibited from traveling upon any

81 federal interstate highway or upon any roads or bridges designated

- 82 and posted as incapable of carrying such loads by the Mississippi
- 83 Department of Transportation, a board of supervisors or the
- 84 governing authorities of a municipality as provided in subsections
- 85 (5) or (6) of this section.
- 86 (d) Vehicles transporting cranes and heavy lifting
- 87 equipment, including mobile cranes manufactured and designed as a
- 88 single unit and intended to be operated over roads and highways,
- 89 are exempt from the axle spacing and tire loadings of this
- 90 <u>section</u>. However, such vehicles (i) shall be limited to a gross
- 91 <u>weight of one hundred thousand (100,000) pounds; (ii) shall be</u>
- 92 <u>limited to a maximum load of the rated capacity of that vehicle;</u>
- 93 (iii) shall have all wheels brake equipped; and (iv) are
- 94 prohibited from traveling upon any federal interstate highway or
- 95 upon any roads or bridges designated and posted as incapable of
- 96 <u>carrying such loads by the Mississippi Department of</u>
- 97 Transportation, a board of supervisors or the governing
- 98 <u>authorities of a municipality as provided in subsections (5) and</u>
- 99 (6) of this section.
- 100 (5) The board of supervisors of any county or the governing
- 101 authorities of any municipality, by appropriate resolution, may
- 102 impose limitations more restrictive than those permitted in this
- 103 section upon the county highways of such county or the streets of
- 104 such municipality.
- 105 (6) The Mississippi Department of Transportation, for cause,
- 106 may post or limit any road or bridge to weights less than those
- 107 permitted by this section.
- 108 SECTION 2. This act shall take effect and be in force from
- 109 and after July 1, 2000.