To: Drug Policy

By: Representative Yancey

## HOUSE BILL NO. 1071

AN ACT TO AMEND SECTION 41-29-113, MISSISSIPPI CODE OF 1972, TO INCLUDE SIXTEEN SUBSTANCES AS SCHEDULE I CONTROLLED SUBSTANCES BECAUSE THESE DRUGS HAVE NO LEGITIMATE MEDICAL USE AND HAVE A HIGH POTENCY WITH GREAT POTENTIAL TO CAUSE HARM; TO AMEND SECTION 5 41-29-119, MISSISSIPPI CODE OF 1972, TO INCLUDE 6 SERDEXMETHYLPHENIDATE AS A SCHEDULE IV CONTROLLED SUBSTANCE 7 BECAUSE THE DRUG HAS A CURRENTLY ACCEPTED MEDICAL USE AND A LOW POTENTIAL FOR ABUSE THAT MAY LEAD TO LIMITED PHYSICAL DEPENDENCE 8 9 OR PSYCHOLOGICAL DEPENDENCE RELATIVE TO THE DRUGS OR OTHER 10 SUBSTANCES IN SCHEDULE III; AND FOR RELATED PURPOSES.

- BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF MISSISSIPPI:
- 12 **SECTION 1.** Section 41-29-113, Mississippi Code of 1972, is
- 13 amended as follows:
- 14 41-29-113.
- 15 SCHEDULE I
- 16 (a) Schedule I consists of the drugs and other substances,
- 17 by whatever official name, common or usual name, chemical name, or
- 18 brand name designated, that is listed in this section.
- 19 (b) Opiates. Unless specifically excepted or unless listed
- 20 in another schedule, any of the following opiates, including their
- 21 isomers, esters, ethers, salts and salts of isomers, esters and

```
22
    ethers, whenever the existence of these isomers, esters, ethers
23
    and salts is possible within the specific chemical designation:
24
                   Acetyl-alpha-methylfentanyl
               (1)
25
    (N-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-phenylacetamide);
26
               (2) Acetylmethadol;
27
               (3)
                   Acetyl fentanyl
28
    (N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide);
29
               (4)
                   Acryl fentanyl
30
    (N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide), also known as
31
    acryloylfentanyl;
32
               (5) AH-7921 (3,4-dichloro-N-[(1-dimethylamino)
33
    cyclohexylmethyl]benzamide);
34
                   Allylprodine;
               (6)
35
                   Alphacetylmethadol, except levo-alphacetylmethadol
               (7)
    (levo-alpha-acetylmethadol, levomethadyl acetate, or LAAM);
36
37
               (8)
                   Alphameprodine;
               (9)
38
                   Alphamethadol;
39
                    Alpha-Methylfentanyl
               (10)
40
    (N-[1-alpha-methyl-beta-phenyl)ethyl-4-piperidyl]propionanilide;
41
    1-(1-methyl-2-phenylethyl)-4-(N-propanilido)piperidine);
42
               (11)
                    Alpha-Methylthiofentanyl
43
    (N-[1-methyl-2-(2-thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide
44
    );
45
               (12) Benzethidine;
46
               (13)
                    Betacetylmethadol;
                      H. B. No. 1071
                                              ~ OFFICIAL ~
    23/HR43/R1336
```

PAGE 2 (MCL\EW)

```
47
               (14)
                     Beta-Hydroxyfentanyl
48
    (N-[1-(2-hydroxy-2-phenethyl)-4-piperidinyl]-N-phenylpropanamide);
49
               (15)
                     Beta-Hydroxy-3-methylfentanyl
50
    (N-[1-(2-hydroxy-2-phenylethyl)-3-methyl-4-piperidinyl]-N-phenylpr
51
    opanamide);
52
               (16)
                    Beta-Hydroxythiofentanyl
53
    (N-[1-[2-hydroxy-2-(thiophen-2-yl)ethyl]piperidin-4-yl]-N-phenylpr
54
    opionamide);
55
               (17)
                    Betameprodine;
56
               (18)
                    Betamethadol;
57
               (19)
                    Beta-Methyl fentanyl
58
    (N-phenyl-N-(1-(2-phenylpropyl)piperidin-4-yl)propionamide), also
59
    known as \beta-methyl fentanyl;
60
               (20) Beta'-Phenyl fentanyl
61
    (N-(1-phenethylpiperidin-4-yl)-N,3-diphenylpropanamide), also
62
    known as \beta'-phenyl fentanyl or 3-phenylpropanoyl fentanyl;
63
               (21)
                    Betaprodine;
64
               (22)
                     Butyrl fentanyl
65
    (N-(1-phenethylpiperidin-4-yl)-N-phenylbutyramide);
66
               (23) Clonitazene;
67
               (24)
                     Crotonyl fentanyl
68
    ((E)-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide);
69
               (25)
                     Cyclopentyl fentanyl
70
    (N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide);
```

```
71
               (26)
                     Cyclopropyl fentanyl
72
    (N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopropanecarboxamide);
73
               (27)
                     Dextromoramide;
74
                     Diampromide;
               (28)
75
               (29)
                     Diethylthiambutene;
76
               (30)
                     Difenoxin;
               (31)
77
                     Dimenoxadol;
78
               (32)
                     Dimepheptanol;
79
                     Dimethylthiambutene;
               (33)
80
               (34)
                     Dioxaphetyl butyrate;
81
               (35)
                     Dipipanone;
82
               (36)
                     Ethylmethylthiambutene;
83
               (37)
                     Etonitazene;
84
                    Etoxeridine;
               (38)
85
               (39)
                     Fentanyl carbamate
86
    (ethyl(1-phenethylpiperidin-4-yl)(phenyl)carbamate);
87
               (40)
                     Fentanyl-related substances, meaning any substance
    not otherwise listed under another schedule and for which no
88
89
    exemption or approval is in effect under Section 505 of the
90
    Federal Food, Drug, and Cosmetic Act [21 USC 355] that is
91
    structurally related to fentanyl by one or more of the following
92
    modifications:
                         Replacement of the phenyl portion of the
93
                    (A)
94
    phenethyl group by any monocycle, whether or not further
95
    substituted in or on the monocycle;
```

```
96
                     (B)
                          Substitution in or on the phenethyl group with
97
     alkyl, alkenyl, alkoxyl, hydroxyl, halo, haloalkyl, amino or nitro
98
     groups;
99
                     (C)
                          Substitution in or on the piperidine ring with
100
     alkyl, alkenyl, alkoxyl, ester, ether, hydroxyl, halo, haloalkyl,
101
     amino or nitro groups;
102
                          Replacement of the aniline ring with any
                     (D)
103
     aromatic monocycle whether or not further substituted in or on the
104
     aromatic monocycle; and/or
105
                     (E)
                         Replacement of the N-propionyl group by
106
     another acyl group.
107
                     4-Fluoroisobutyryl fentanyl
                (41)
108
     (N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide),
109
     also known as para-fluoroisobutyryl fentanyl);
                      2'-Fluoro ortho-fluorofentanyl
110
                (42)
111
     (N-(1-(2-fluorophenethyl)piperidin-4-yl)-N-(2-fluorophenyl)
112
     propionamide), also known as 2'-fluoro 2-fluorofentanyl;
113
                      Furanyl fentanyl
                (43)
114
     (N-(1-phenethylpiperidin-4-yl)-N-phenylfuran-2-carboxamide);
115
                (44)
                    Furethidine;
116
                (45)
                     Hydroxypethidine;
117
                     Isobutyryl fentanyl
                (46)
118
     (N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide);
119
                      Isotonitazene (N, N-diethyl-2-(2-(4
                (47)
     isopropoxybenzyl) -5-nitro-1H-benzimidazol-1-yl) ethan-1-amine);
120
```

```
121
               (48) Isotonitazene
122
     (N, N-diethyl-2-(2-(4-isopropoxybenzyl)-5-nitro-1H-benzimidazol-1-y
123
     1) ethan-1-amine);
124
                ( * * *49)
                            Ketobemidone (including the optical and
125
     geometric isomers);
126
                ( * * *50)
                            Levomoramide;
127
                            Levophenacylmorphan;
                 * * *51)
128
                ( * * * *52)
                            Methoxyacetyl fentanyl
129
     (2-methoxy-N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide);
130
                ( \star \star \star53) 4'-Methyl acetyl fentanyl
131
     (N-(1-(4-methyl)phenethyl)piperidin-4-yl)-N-phenylacetamide);
132
                ( * * * *54)
                            3-Methylfentanyl
133
     (N-[3-methyl-1-(2-phenylethyl)-4-piperidyl]-N-phenylpropanamide);
134
                (***55) 3-Methylthiofentanyl (N-[3-methyl-1-
135
     (2-thienylethyl)-4-piperidinyl]-N-phenylpropanamide);
136
                ( * * *56) Morpheridine;
137
                ( * * * 57)
                            MPPP
138
     (1-methyl-4-phenyl-4-propionoxypiperidine);
139
                ( * * *58)
                            MT-45
140
     (1-cyclohexyl-4-(1,2-diphenylethyl)piperazine);
141
                ( * * *59)
                            Noracymethadol;
142
                            Norlevorphanol;
                 * * *60)
143
                  * * *61)
                            Normethadone;
144
                 * * *62)
                            Norpipanone;
145
                            Ocfentanil (N-(2-fluorophenyl)-2-methoxy-N-
                    * *63)
                       H. B. No. 1071
```

23/HR43/R1336 PAGE 6 (MCL\EW) ~ OFFICIAL ~

```
146
     (1-phenethylpiperidin-4-yl) acetamide);
147
                ( * * *64) Ortho-Fluoroacryl fentanyl
     (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)acrylamide);
148
149
                ( * * *65) Ortho-Fluorobutyryl fentanyl
150
     (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)butyramide), also
151
     known as 2-fluorobutyryl fentanyl;
152
                ( * * *66) Ortho-Fluorofentanyl
153
     (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)propionamide),
154
     also known as 2-fluorofentanyl;
                ( * * *67) Ortho-Fluoroisobutyryl fentanyl
155
156
     (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide);
157
                ( * * *68) Ortho-Methyl acetylfentanyl
158
     (N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-yl)acetamide), also
159
     known as 2-methyl acetylfentanyl;
160
                ( * * *69) Ortho-Methyl methoxyacetyl fentanyl
161
     (2-methoxy-N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-yl)
162
     acetamide), also known as 2-methyl methoxyacetyl fentanyl;
163
                ( * * *70) Para-Chloroisobutyryl fentanyl
164
     (N-(4-chlorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide);
165
                ( * * *71) Para-Fluorobutyryl fentanyl
166
     (N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)butyramide);
167
                ( * * *72) Para-Fluorofentanyl (N-(4-fluorophenyl)
168
     -N-[1-(2-phenylethyl)-4-piperidinyl]propanamide);
169
                ( * * *73) Para-Fluoro furanyl fentanyl
170
     N-(4-fluorophenyl)-N-
```

~ OFFICIAL ~

H. B. No. 1071

23/HR43/R1336 PAGE 7 (MCL\EW)

```
171
     (1-phenethylpiperidin-4-yl) furan-2-carboxamide);
172
               ( * * *74) Para-Methoxybutyryl fentanyl
173
     (N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-yl)butyramide);
174
                ( * * *75) Para-Methylfentanyl
175
     (N-(4-methylphenyl)-N-(1-phenethylpiperidin-4-yl)propionamide),
176
     also known as 4-methylfentanyl);
                ( * * *76) PEPAP
177
178
     (1-(-2-phenethyl)-4-phenyl-4-acetoxypiperidine);
179
                ( * * *77) Phenadoxone;
180
                ( * * *78) Phenampromide;
181
                ( * * *79) Phenomorphan;
182
                ( * * *80) Phenoperidine;
183
                ( * * *81) Phenyl fentanyl
     (N-(1-phenethylpiperidin-4-yl)-N-phenylbenzamide), also known as
184
185
     benzoyl fentanyl;
186
                ( * * *82) Piritramide;
187
                ( * * *83) Proheptazine;
188
                ( * * *84) Properidine;
189
                           Propiram;
                ( * * *85)
190
                ( * * *86)
                           Racemoramide;
191
                ( * * *87)
                           Tetrahydrofuranyl fentanyl
192
     (N-(1-phenethylpiperidin-4-yl)-N-phenyltetrahydrofuran-2-
193
     carboxamide);
194
               ( * * *88) Thiofentanyl
195
     (N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidinyl]propanamide);
                       H. B. No. 1071
                                              ~ OFFICIAL ~
     23/HR43/R1336
```

PAGE 8 (MCL\EW)

```
196
                ( * * *89)
                            Thiofuranyl fentanyl
197
     (N-(1-phenethylpiperidin-4-yl)-N-phenylthiophene-2-carboxamide),
     also known as 2-thiofuranyl fentanyl or thiophene fentanyl;
198
199
                            Tilidine;
                ( * * *90)
200
                 * * *91)
                            Trimeperidine;
201
                ( * * * *92)
                            U-47700, (3,4-dichloro-N-
202
     [2-(dimethylamino)cyclohexyl]-N-methylbenzamide);
203
                ( * * *93) Valeryl fentanyl
204
     (N-(1-phenethylpiperidin-4-yl)-N-phenylpentanamide).
205
               Opium derivatives. Unless specifically excepted or
206
     unless listed in another schedule, any of the following opium
207
     derivatives, their salts, isomers and salts of isomers, whenever
208
     the existence of these salts, isomers and salts of isomers is
209
     possible within the specific chemical designation:
210
                (1)
                     Acetorphine;
211
                (2)
                    Acetyldihydrocodeine;
212
                     Benzylmorphine;
                (3)
213
                     Codeine methylbromide;
                (4)
214
                (5)
                     Codeine-N-Oxide;
215
                     Cyprenorphine;
                (6)
216
                (7)
                     Desomorphine;
217
                     Dihydromorphine;
                (8)
218
                     Drotebanol;
                (9)
219
                      Etorphine (except hydrochloride salt);
                (10)
220
                     Heroin;
                (11)
```

| 221   | (12) Hydromorphinol;   |
|---|--|
| 222   | (13) Methyldesorphine;   |
| 223   | (14) Methyldihydromorphine;  |
| 224   | (15) Monoacetylmorphine;   |
| 225   | (16) Morphine methylbromide;   |
| 226   | (17) Morphine methylsulfonate;   |
| 227   | (18) Morphine-N-Oxide;   |
| 228   | (19) Myrophine;  |
| 229   | (20) Nicocodeine;  |
| 230   | (21) Nicomorphine;   |
| 231   | (22) Normorphine;  |
| 232   | (23) Pholcodine;   |
| 233   | (24) Thebacon.   |
| 234   | (d) Hallucinogenic substances. Unless specifically excepted  |
| 235   | or unless listed in another schedule, any material, compound,  |
| 236   | mixture or preparation which contains any quantity of the  |
| 237   | following substances, their salts, isomers (whether optical,   |
| 238   | positional, or geometric) and salts of isomers, whenever the   |
| 239   | existence of these salts, isomers and salts of isomers is possible   |
|   |  |
| 240   | within the specific chemical designation:  |
| <ul><li>240</li><li>241</li></ul>             |  |
|   | within the specific chemical designation:  |
| 241   | <pre>within the specific chemical designation:</pre>   |
| 241<br>242                                    | <pre>within the specific chemical designation:</pre>   |
| <ul><li>241</li><li>242</li><li>243</li></ul> | <pre>within the specific chemical designation:      (1) Alpha-ethyltryptamine;      (2) 4-bromo-2,5-dimethoxy-amphetamine;      (3) 4-bromo-2,5-dimethoxyphenethylamine;</pre> |

```
246
                (6)
                     2,5-dimethoxy-4-(n)-propylthiophenethylamine
247
     (2C-T-7);
248
                     4-methoxyamphetamine;
                (7)
                     5-methoxy-3,4-methylenedioxy-amphetamine;
249
                (8)
250
                (9)
                     4-methyl-2,5-dimethoxy-amphetamine;
251
                (10)
                     3,4-methylenedioxy amphetamine;
252
                      3,4-methylenedioxymethamphetamine (MDMA);
                (11)
253
                      3,4-methylenedioxy-N-ethylamphetamine (also known
                (12)
254
     as N-ethyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, N-ethyl
255
     MDA, MDE, MDEA);
256
                (13) N-hydroxy-3,4-methylenedioxyamphetamine (also
257
     known as N-hydroxy MDA, N-OHMDA, and
258
     N-hydroxy-alpha-methyl-3,4 (methylenedioxy) phenethylamine);
259
                      3,4,5-trimethoxy amphetamine;
                (14)
260
                      5-methoxy-N, N-dimethyltryptamine (5-MeO-DMT);
                (15)
261
                (16)
                      Alpha-methyltryptamine (also known as AMT);
262
                     Bufotenine;
                (17)
263
                (18)
                      Diethyltryptamine;
264
                (19)
                      Dimethyltryptamine;
265
                (20)
                      5-methoxy-N, N-diisopropyltryptamine (5-MeO-DIPT);
266
                (21)
                      Ibogaine;
267
                      Lysergic acid diethylamide (LSD);
                (22)
268
                           Marijuana (Hemp as defined and regulated
                (23)
269
     under Sections 69-25-201 through 69-25-221 and Cannabidiol
270
     contained in a legend drug product approved by the Federal Food
```

```
271
     and Drug Administration or obtained under Section 41-29-136 are
272
     exempt under Schedule I);
273
                     (B)
                          Hashish;
274
                     Mescaline;
                (24)
275
                (25)
                     Parahexyl;
276
                (26)
                     Peyote;
                     N-ethyl-3-piperidyl benzilate;
277
                (27)
278
                (28)
                     N-methyl-3-piperidyl benzilate;
279
                (29)
                     Psilocybin;
280
                (30)
                     Psilocyn;
281
                (31)
                     Tetrahydrocannabinols, meaning
282
     tetrahydrocannabinols contained in a plant of the genus Cannabis
283
     (cannabis plant), as well as the synthetic equivalents of the
284
     substances contained in the cannabis plant, or in the resinous
285
     extractives of such plant, and/or synthetic substances,
286
     derivatives, and their isomers with similar chemical structure and
287
     pharmacological activity to those substances contained in the
288
     plant such as the following:
289
                          1 cis or trans tetrahydrocannabinol;
                     (A)
290
                          6 cis or trans tetrahydrocannabinol;
                     (B)
291
                     (C)
                          3,4 cis or trans tetrahydrocannabinol.
292
           (Since nomenclature of these substances is not
293
     internationally standardized, compounds of these structures,
294
     regardless of atomic positions, are covered.)
```

| 295 | ("Tetrahydrocannabinols" excludes dronabinol and nabilone.)        |
|-----|--|
| 296 | For purposes of this paragraph, tetrahydrocannabinols do not       |
| 297 | include hemp or hemp products regulated under Sections 69-25-201   |
| 298 | through 69-25-221.   |
| 299 | However, the following products are exempted from control:         |
| 300 | (i) THC-containing industrial products made                        |
| 301 | from cannabis stalks (e.g., paper, rope and clothing);             |
| 302 | (ii) Processed cannabis plant materials used                       |
| 303 | for industrial purposes, such as fiber retted from cannabis stalks |
| 304 | for use in manufacturing textiles or rope;                         |
| 305 | (iii) Animal feed mixtures that contain                            |
| 306 | sterilized cannabis seeds and other ingredients (not derived from  |
| 307 | the cannabis plant) in a formula designed, marketed and            |
| 308 | distributed for nonhuman consumption;                              |
| 309 | (iv) Personal care products that contain oil                       |
| 310 | from sterilized cannabis seeds, such as shampoos, soaps, and body  |
| 311 | lotions (if the products do not cause THC to enter the human       |
| 312 | body);   |
| 313 | (v) Hemp as regulated under Sections                               |
| 314 | 69-25-201 through 69-25-221; and                                   |
| 315 | (vi) Any product derived from the hemp plant                       |
| 316 | designed for human ingestion and/or consumption that is approved   |
| 317 | by the United States Food and Drug Administration;                 |
| 318 | (32) Phencyclidine;  |
| 319 | (33) Ethylamine analog of phencyclidine (PCE);                     |

```
320
                (34)
                     Pyrrolidine analog of phencyclidine (PHP, PCPy);
321
                     Thiophene analog of phencyclidine;
                (35)
322
                     1-[1-(2-thienyl)cyclohexyl] pyrrolidine (TCPy);
                (36)
323
                     4-methylmethcathinone (mephedrone);
                (37)
324
                (38)
                     3,4-methylenedioxypyrovalerone (MDPV);
325
                (39)
                     2-(2,5-dimethoxy-4-ethylphenyl)ethanamine (2C-E);
326
                     2-(2,5-dimethoxy-4-methylphenyl)ethanamine (2C-D);
                (40)
327
                     2-(4-chloro-2,5-dimethoxyphenyl)ethanamine (2C-C);
                (41)
328
                     2-(4-iodo-2,5-dimethoxyphenyl)ethanamine (2C-I);
                (42)
329
     or 2,5-dimethoxy-4-iodophenethylamine;
330
                (43)
                     2-[4-(ethylthio)-2,5-dimethoxyphenyl]ethanamine
331
     (2C-T-2);
332
                (44)
     2-[4-(isopropylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-4);
333
334
                     2-(2,5-dimethoxyphenyl)ethanamine (2C-H);
                (45)
335
                (46)
                     2-(2,5-dimethoxy-4-nitro-phenyl)ethanamine (2C-N);
336
                     2-(2,5-dimethoxy-4-(n)-propylphenyl)ethanamine
                (47)
337
     (2C-P);
338
                (48)
                     3,4-methylenedioxy-N-methylcathinone(methylone);
339
                (49)
340
     2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine
     (25B-NBOMe; 2C-B-NBOMe; 25B; Cimbi-36);
341
342
                (50)
     2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine
343
     (25C-NBOMe; 2C-C-NBOMe; 25C; Cimbi-82);
344
                       H. B. No. 1071
```

23/HR43/R1336 PAGE 14 (MCL\EW) ~ OFFICIAL ~

```
345
                (51)
346
     2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine or
     N-[(2-methoxyphenyl)methyl]ethanamine (25I-NBOMe; 2C-I-NBOMe; 25I;
347
     Cimbi-5);
348
349
                (52)
                     7-bromo-5-(2-chlorophenyl)-1,3-dihydro-2H-1,
350
     4-benzodiazepin-2-one (also known as Phenazepam);
351
                     7-(2-chlorophenyl)-4-ethyl-13-methyl-3-thia-1,8,
                (53)
352
     11,12-tetraazatricyclo[8.3.0.0]trideca-2(6),4,7,10,12-pentaene
353
     (also known as Etizolam);
354
                (54)
                     Salvia divinorum;
355
                (55)
                     Synthetic cannabinoids. Unless specifically
356
     excepted or unless listed in another schedule, any material,
357
     compound, mixture, or preparation which contains any quantity of a
358
     synthetic cannabinoid found in any of the following chemical
359
     groups, whether or not substituted to any extent, or any of those
360
     groups which contain any synthetic cannabinoid salts, isomers, or
361
     salts of isomers, whenever the existence of such salts, isomers,
362
     or salts of isomers is possible within the specific chemical
363
     designation, including all synthetic cannabinoid chemical
364
     analogues in such groups:
                         (6aR, 10aR) - 9 - (hydroxymethyl) - 6,
365
                     (A)
366
     6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]
367
     chromen-1-ol (also known as HU-210 or
```

1,1-dimethylheptyl-11-hydroxy-delta8-tetrahydrocannabinol);

| 369 | (B) Naphthoylindoles and naphthylmethylindoles,                    |
|-----|--|
| 370 | being any compound structurally derived from 3-(1-naphthoyl)indole |
| 371 | or 1H-indol-3-yl-(1-naphthyl)methane, whether or not substituted   |
| 372 | in the indole ring to any extent, or in the naphthyl ring to any   |
| 373 | extent;  |
| 374 | (C) Naphthoylpyrroles, being any compound                          |
| 375 | structurally derived from 3-(1-naphthoyl)pyrrole, whether or not   |
| 376 | substituted in the pyrrole ring to any extent, or in the naphthyl  |
| 377 | ring to any extent;  |
| 378 | (D) Naphthylmethylindenes, being any compound                      |
| 379 | structurally derived from 1-(1-naphthylmethyl)indene, whether or   |
| 380 | not substituted in the indene ring to any extent or in the         |
| 381 | naphthyl ring to any extent;                                       |
| 382 | (E) Phenylacetylindoles, being any compound                        |
| 383 | structurally derived from 3-phenylacetylindole, whether or not     |
| 384 | substituted in the indole ring to any extent or in the phenyl ring |
| 385 | to any extent;   |
| 386 | (F) Cyclohexylphenols, being any compound                          |
| 387 | structurally derived from 2-(3-hydroxycyclohexyl)phenol, whether   |
| 388 | or not substituted in the cyclohexyl ring to any extent or in the  |
| 389 | phenolic ring to any extent;                                       |
| 390 | (G) Benzoylindoles, whether or not substituted in                  |

the indole ring to any extent or in the phenyl ring to any extent;

| 392 | (H) Adamantoylindoles, whether or not substituted                  |
|-----|--|
| 393 | in the indole ring to any extent or in the adamantoyl ring system  |
| 394 | to any extent;   |
| 395 | (I) Tetrahydro derivatives of cannabinol and                       |
| 396 | 3-alkyl homologues of cannabinol or of its tetrahydro derivatives, |
| 397 | except where contained in cannabis or cannabis resin;              |
| 398 | (J) 3-Cyclopropylmethanone indole or                               |
| 399 | 3-Cyclobutylmethanone indole or 3-Cyclopentylmethanone indole by   |
| 400 | substitution at the nitrogen atom of the indole ring, whether or   |
| 401 | not further substituted in the indole ring to any extent, whether  |
| 402 | or not substituted on the cyclopropyl, cyclobutyl or cyclopentyl   |
| 403 | rings to any extent;   |
| 404 | (K) Quinolinyl ester indoles, being any compound                   |
| 405 | structurally derived from 1H-indole-3carboxylic acid-8-quinolinyl  |
| 406 | ester, whether or not substituted in the indole ring to any extent |
| 407 | or the quinolone ring to any extent;                               |
| 408 | (L) 3-carboxamide-1H-indazoles, whether or not                     |
| 409 | substituted in the indazole ring to any extent and substituted to  |
| 410 | any degree on the carboxamide nitrogen and                         |
| 411 | 3-carboxamide-1H-indoles, whether or not substituted in the indole |
| 412 | ring to any extent and substituted to any degree on the            |
| 413 | carboxamide nitrogen;  |

substituted at the nitrogen atom on the indole ring, whether or

Cycloalkanemethanone Indoles, whether or not

414

- 416 not further substituted in the indole ring to any extent, whether
- 417 or not substituted on the cycloalkane ring to any extent;
- 418 (56) Naphthalen-1-yl
- 419 1-(5-fluoropentyl)-1H-indole-3-carboxylate, also known as NM2201
- 420 or CBL2201;
- 421 (57) 1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1H-
- 422 pyrrolo[2,3-b]pyridine-3-carboxamide, also known as
- 423 5F-CUMYL-P7AICA or SGT-25;
- 424 (58) methyl
- 425 2-(1-(4-fluorobutyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutano
- 426 ate, also known as 4F-MDMB-BINACA or 4F-MDMB-BUTINACA)
- (\* \* \*59) 1-(4-methoxyphenyl)-N-methylpropan-2-amine,
- 428 also known as para-methoxymethamphetamine or PMMA
- 429 (60) ethyl 2-(1-(5-fluoropentyl))
- 430 -1H-indazole-3-carboxamido)-3,3-dimethylbutanoate, also known as
- 431 5F-EDMB-PINACA;
- 432 (61) methyl
- 433 2-(1-(5-fluoropentyl)-1H-indole-3-carboxamido)-3,
- 434 3-dimethylbutanoate, also known as 5F-MDMB-PICA or 5F-MDMB-2201;
- 435 (62)
- 436 N-(adamantan-1-yl)-1-(4-fluorobenzyl)-1H-indazole-3-carboxamide,
- 437 also known as FUB-AKB48 or FUB-APINACA or AKB48
- 438 N-(4-fluorobenzyl);



| 439 | <u>(63)</u>  |
|-----|--|
| 440 | (1-(4-fluorobenzyl)-1H-indol-3-yl)(2,2,3,3-tetramethylcyclopropyl)                   |
| 441 | methanone, also known as FUB-144;  |
| 442 | (64) N-ethylhexedrone, also known as   |
| 443 | $\alpha$ -ethylaminohexanophenone or 2-(ethylamino)-1-phenylhexan-1-one;             |
| 444 | (65) alpha-pyrrolidinohexanophenone, also known as                                   |
| 445 | $\alpha$ -PHP or $\alpha$ -pyrrolidinohexanophenone or                               |
| 446 | 1-phenyl-2-(pyrrolidin-1-yl)hexan-1-one);  |
| 447 | (66) 4-methyl-alpha-ethylaminopentiophenone, also known                              |
| 448 | as 4-MEAP or 2-(ethylamino)-1-(4-methylphenyl)pentan-1-one);                         |
| 449 | (67) 4'-methyl-alpha-pyrrolidinohexiophenone, also                                   |
| 450 | known as MPHP or 4'-methyl-alpha-pyrrolidinohexanophenone or                         |
| 451 | 1-(4-methylphenyl)-2-(pyrrolidin-1-yl)hexan-1-one);                                  |
| 452 | (68) alpha-pyrrolidinoheptaphenone (also known as PV8;                               |
| 453 | 1-phenyl-2-(pyrrolidin-1-yl)heptan-1-one);   |
| 454 | (69) 4'-chloro-alpha-pyrrolidinovalerophenone, also                                  |
| 455 | known as 4-chloro- $\alpha$ -PVP or 4'-chloro- $\alpha$ -pyrrolidinopentiophenone or |
| 456 | 1-(4-chlorophenyl)-2-(pyrrolidin-1-yl)pentan-1-one);                                 |
| 457 | <u>(70)</u>  |
| 458 | 2-(ethylamino)-2-(3-methoxyphenyl)cyclohexan-1-one, also known as                    |
| 459 | methoxetamine or MXE.  |
| 460 | (e) Depressants. Unless specifically excepted or unless                              |
| 461 | listed in another schedule, any material, compound, mixture, or                      |
| 462 | preparation which contains any quantity of the following                             |
| 463 | substances having a depressant effect on the central nervous                         |
|     | H. B. No. 1071   |

```
464 system, including their salts, isomers, and salts of isomers,
```

- 465 whenever the existence of such salts, isomers, and salts of
- 466 isomers is possible within the specific chemical designation:
- 467 (1) Clonazolam,
- 468 6-(2-chlorophenyl)-1-methyl-8-nitro-4H-[1,2,4]triazolo[4,3-a][1,4]
- 469 benzodiazepine;
- 470 (2) Flualprazolam,
- 471 8-chloro-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-a][1,4
- 472 ]benzodiazepine;
- 473 (3) Flubromazepam,
- 7-bromo-5-(2-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one;
- 475 (4) Flubromazolam,
- 476 8-bromo-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-a][1,4]
- 477 benzodiazepin;
- 478 (5) Gamma-hydroxybutyric acid (other names include:
- 479 GHB, gamma-hydroxybutyrate; 4-hydroxybutyrate; 4-hydroxybutanoic
- 480 acid; sodium oxybate; sodium oxybutyrate);
- 481 (6) Mecloqualone;
- 482 (7) Methaqualone.
- 483 (f) **Stimulants**. Any material, compound, mixture or
- 484 preparation which contains any quantity of the following central
- 485 nervous system stimulants including optical salts, isomers and
- 486 salts of isomers unless specifically excepted or unless listed in
- 487 another schedule:
- 488 (1) Aminorex;

```
489
               (2)
                    N-benzylpiperazine (also known as BZP and
490
     1-benzylpiperazine);
491
               (3)
                    Cathinone;
492
               (4) 4,4'-Dimethylaminorex, also known as 4,4'-DMAR or
493
     4,5-dihydro-4-methyl-5-(4-methylphenyl)-2-oxazolamine;
494
     4-methyl-5-(4-methylphenyl)-4,5-dihydro-1,3-oxazol-2-amine);
495
                ( * * *5) Fenethylline;
496
                ( * * *6) Methcathinone;
497
                (***7) 4-methylaminorex (also known as
     2-amino-4-methyl-5-phenyl-2-oxazoline);
498
499
                ( * * *8) N-ethylamphetamine;
500
                ( * * *9) Any material, compound, mixture or
     preparation which contains any quantity of
501
502
     N, N-dimethylamphetamine. (Other names include:
503
     N, N, -alpha-trimethyl-benzeneethanamine and
504
     N, N-alpha-trimethylphenethylamine);
505
                ( * * *10) Synthetic cathinones. (A) Unless listed in
506
     another schedule, any compound other than bupropion that is
507
     structurally derived from 2-Amino-1-phenyl-1-propanone by
508
     modification in any of the following ways:
509
                          (i) By substitution in the phenyl ring to any
     extent with alkyl, alkoxy, alkylenedioxy, haloalkyl or halide
510
     substituents, whether or not further substituted in the phenyl
511
512
     ring by one or more other univalent substituents;
```

```
513
                          (ii) By substitution at the 3-position with
514
     an alkyl substituent;
515
                          (iii) By substitution at the nitrogen atom
     with alkyl or dialkyl groups, or by inclusion of the nitrogen atom
516
517
     in a cyclic structure.
518
                     (B)
                          The compounds covered in this paragraph
519
     ( * * *10) include, but are not limited to, any material,
520
     compound, mixture or preparation which contains any quantity of a
521
     synthetic cathinone found in any of the following compounds,
522
     whether or not substituted to any extent, or any of these
523
     compounds which contain any synthetic cathinone, or salts,
524
     isomers, or salts of isomers, whenever the existence of such
525
     salts, isomers or salts of isomers is possible, unless
526
     specifically excepted or listed in another schedule:
527
                          (i) 4-methyl-N-ethylcathinone ("4-MEC");
528
                          (ii) 4-methyl-alpha-pyrrolidinopropiophenone
529
     ("4-MePPP");
530
                          (iii) Alpha-pyrrolidinopentiophenone
531
     ("\alpha-PVP");
532
                          (iv) 1-(1,3-benzodioxol-5-yl)-2-
533
     (methylamino)butan-1-one ("butylone");
534
                          (v) 2-(methylamino)-1-phenylpentan-1-one
535
     ("pentedrone");
536
                          (vi) 1-(1,3-benzodioxol-5-yl)-2-
537
     (methylamino)pentan-1-one ("pentylone");
```

~ OFFICIAL ~

H. B. No. 1071

23/HR43/R1336 PAGE 22 (MCL\EW)

```
538
                          (vii)
                                 4-fluoro-N-methylcathinone ("4-FMC");
539
                          (viii) 3-fluoro-N-methylcathinone ("3-FMC");
540
                               1-(naphthalen-2-yl)-2- (pyrrolidin-1-yl)
     pentan-1-one ("naphyrone");
541
542
                          (x) Alpha-pyrrolidinobutiophenone
543
     ("\alpha - PBP"); * * *
544
                          (xi) 1-(1,3-benzodioxol-5-yl)-2-(ethylamino)
     -pentan-1-one (N-ethylpentylone, ephylone) * * *; and
545
546
                         (xii)
547
     1-(1,3-benzodioxol-5-yl)-2-(ethylamino)pentan-1-one, also know as
548
     N-ethylpentylone.
549
          SECTION 2. Section 41-29-119, Mississippi Code of 1972, is
550
     amended as follows:
551
          41-29-119. (A)
                           The controlled substances listed in this
552
     section are included in Schedule IV.
553
                                 SCHEDULE IV
554
                    Narcotic drugs. Unless specifically excepted or
                (a)
555
     unless listed in another schedule, any material, compound, mixture
556
     or preparation which contains limited quantities of the following
557
     narcotic drugs, or any salts thereof:
558
                     (1)
                         Not more than one (1) milligram of difenoxin
559
     and not less than twenty-five (25) micrograms of atropine sulfate
560
     per dosage unit;
```

| 561 | (2) Dextropropoxyphene, including its salts                      |
|-----|--|
| 562 | (Darvon, Darvon-N; also found in Darvon compound and Darvocet-N, |
| 563 | etc.);   |
| 564 | (3)  |
| 565 | 2-[(dimethylamino)methyl]-1-(3-methoxyphenyl)cyclohexanol, its   |
| 566 | salts, optical and geometric isomers and salts of these isomers  |
| 567 | (including tramadol).  |
| 568 | (b) Depressants. Any material, compound, mixture or              |
| 569 | preparation which contains any quantity of the following         |
| 570 | substances:  |
| 571 | (1) Alfaxalone;  |
| 572 | (2) Alprazolam;  |
| 573 | (3) Barbital;  |
| 574 | (4) Brexanolone;   |
| 575 | (5) Bromazepam;  |
| 576 | (6) Camazepam;   |
| 577 | (7) Carisoprodol;  |
| 578 | (8) Chloral betaine;   |
| 579 | (9) Chloral hydrate;   |
| 580 | (10) Chlordiazepoxide and its salts, but does not                |
| 581 | include chlordiazepoxide hydrochloride and clidinium bromide or  |
| 582 | chlordiazepoxide and esterified estrogens;                       |
| 583 | (11) Clobazam;   |
| 584 | (12) Clonazepam;   |
| 585 | (13) Clorazepate;  |
|     |  |

| 586 | (14) | Clotiazepam;         |
|-----|------|----------------------|
| 587 | (15) | Cloxazolam;          |
| 588 | (16) | Delorazepam;         |
| 589 | (17) | Diazepam;            |
| 590 | (18) | Dichloralphenazone;  |
| 591 | (19) | Estazolam;           |
| 592 | (20) | Ethchlorvynol;       |
| 593 | (21) | Ethinamate;          |
| 594 | (22) | Ethyl loflazepate;   |
| 595 | (23) | Fludiazepam;         |
| 596 | (24) | Flunitrazepam;       |
| 597 | (25) | Flurazepam;          |
| 598 | (26) | Fospropofol;         |
| 599 | (27) | Halazepam;           |
| 600 | (28) | Haloxazolam;         |
| 601 | (29) | Ketazolam;           |
| 602 | (30) | Lemborexant;         |
| 603 | (31) | Loprazolam;          |
| 604 | (32) | Lorazepam;           |
| 605 | (33) | Lormetazepam;        |
| 606 | (34) | Mebutamate;          |
| 607 | (35) | Medazepam;           |
| 608 | (36) | Meprobamate;         |
| 609 | (37) | Methohexital;        |
| 610 | (38) | Methylphenobarbital; |
|     |      |                      |

| 611 | (39)                 | Midazolam;                                    |
|-----|----------------------|---|
| 612 | (40)                 | Nimetazepam;                                  |
| 613 | (41)                 | Nitrazepam;                                   |
| 614 | (42)                 | Nordiazepam;                                  |
| 615 | (43)                 | Oxazepam;                                     |
| 616 | (44)                 | Oxazolam;                                     |
| 617 | (45)                 | Paraldehyde;                                  |
| 618 | (46)                 | Petrichloral;                                 |
| 619 | (47)                 | Phenobarbital;                                |
| 620 | (48)                 | Pinazepam;                                    |
| 621 | (49)                 | Prazepam;                                     |
| 622 | (50)                 | Quazepam;                                     |
| 623 | (51)                 | Remimazolam;                                  |
| 624 | (52)                 | Suvorexant;                                   |
| 625 | (53)                 | Temazepam;                                    |
| 626 | (54)                 | Tetrazepam;                                   |
| 627 | (55)                 | Triazolam;                                    |
| 628 | (56)                 | Zaleplon;                                     |
| 629 | (57)                 | Zolpidem;                                     |
| 630 | (58)                 | Zopiclone.                                    |
| 631 | (c) <b>Fenfl</b>     | uramine.                                      |
| 632 | (d) <b>Lorc</b> a    | aserin. Any material, compound, mixture, or   |
| 633 | preparation which co | ontains any quantity of Lorcaserin, including |
| 634 | its salts, isomers,  | and salts of such isomers, whenever the       |

```
635
     existence of such salts, isomers, and salts of isomers is
636
     possible.
637
                     Stimulants. Any material, compound, mixture or
                (e)
638
     preparation which contains any quantity of the following
639
     substances:
640
                     (1)
                          Cathine ((+/-) Norpseudoephedrine);
641
                     (2)
                          Diethylpropion;
642
                         Fencamfamin;
                     (3)
643
                     (4)
                         Fenproporex;
644
                     (5)
                         Mazindol;
645
                         Mefenorex;
                     (6)
646
                         Modafinil;
                     (7)
647
                     (8)
                          Pemoline (including any organometallic
648
     complexes and chelates thereof);
649
                     (9)
                         Phentermine;
650
                     (10) Pipradrol;
651
                     (11) Serdexmethylphenidate;
                     ( * * *12) Sibutramine;
652
653
                     ( * * *13) Solriamfetol;
654
                     ( * * *14)
                                 SPA
655
     ((-)-1-dimethylamino-1,2-diphenylethane).
656
                     Other substances.
                (f)
657
                     (1)
                         Pentazocine;
658
                     (2)
                          Butorphanol (including its optical isomers);
```

| 659 | (3) Eluxadoline  |
|-----|--|
| 660 | (5-[[[(2S)-2-amino-3-[4-aminocarbonyl)-2,6-dimethylphenyl]-1-oxopr |
| 661 | opyl][(1S)-1-(4-phenyl-1H-imidazol-2-yl)ethyl]amino]methyl]-2-meth |
| 662 | oxybenzoic acid); (including its optical isomers) and its salts,   |
| 663 | isomers, and salts of isomers.                                     |
| 664 | (B) Any material, compound, mixture or preparation which           |
| 665 | contains any quantity of a Schedule IV controlled substance and is |
| 666 | listed as an exempt substance in 21 CFR, Section 1308.22, 1308.24, |
| 667 | 1308.26, 1308.32 or 1308.34, shall be exempted from the provisions |
| 668 | of the Uniform Controlled Substances Law.                          |

SECTION 3. This act shall take effect and be in force from

and after July 1, 2023.

669