

By: Senator(s) Sparks, Boyd

To: Judiciary, Division B

SENATE BILL NO. 2314

1 AN ACT TO AMEND SECTION 41-29-113, MISSISSIPPI CODE OF 1972,
2 TO REVISE SCHEDULE I OF THE UNIFORM CONTROLLED SUBSTANCES TO
3 INCLUDE ANY PRODUCT DERIVED FROM THE HEMP PLANT DESIGNED FOR HUMAN
4 INGESTION AND/OR CONSUMPTION THAT IS NOT APPROVED BY THE UNITED
5 STATES FOOD AND DRUG ADMINISTRATION; AND FOR RELATED PURPOSES.

6 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF MISSISSIPPI:

7 **SECTION 1.** Section 41-29-113, Mississippi Code of 1972, is
8 amended as follows:

9 41-29-113.

10 **SCHEDULE I**

11 (a) Schedule I consists of the drugs and other substances,
12 by whatever official name, common or usual name, chemical name, or
13 brand name designated, that is listed in this section.

14 (b) **Opiates.** Unless specifically excepted or unless listed
15 in another schedule, any of the following opiates, including their
16 isomers, esters, ethers, salts and salts of isomers, esters and
17 ethers, whenever the existence of these isomers, esters, ethers
18 and salts is possible within the specific chemical designation:



19 (1) Acetyl-alpha-methylfentanyl
20 (N-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-phenylacetamide);
21 (2) Acetylmethadol;
22 (3) Acetyl fentanyl
23 (N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide);
24 (4) Acryl fentanyl
25 (N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide), also known as
26 acryloylfentanyl;
27 (5) AH-7921 (3,4-dichloro-N-[(1-dimethylamino)
28 cyclohexylmethyl]benzamide);
29 (6) Allylprodine;
30 (7) Alphacetylmethadol, except levo-alphacetylmethadol
31 (levo-alpha-acetylmethadol, levomethadyl acetate, or LAAM);
32 (8) Alphameprodine;
33 (9) Alphamethadol;
34 (10) Alpha-Methylfentanyl
35 (N-[1-alpha-methyl-beta-phenyl)ethyl-4-piperidyl]propionanilide;
36 1-(1-methyl-2-phenylethyl)-4-(N-propanilido)piperidine);
37 (11) Alpha-Methylthiofentanyl
38 (N-[1-methyl-2-(2-thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide
39);
40 (12) Benzethidine;
41 (13) Betacetylmethadol;
42 (14) Beta-Hydroxyfentanyl
43 (N-[1-(2-hydroxy-2-phenethyl)-4-piperidinyl]-N-phenylpropanamide);



44 (15) Beta-Hydroxy-3-methylfentanyl
45 (N-[1-(2-hydroxy-2-phenylethyl)-3-methyl-4-piperidinyl]-N-phenylpr
46 opanamide);
47 (16) Beta-Hydroxythiofentanyl
48 (N-[1-[2-hydroxy-2-(thiophen-2-yl)ethyl]piperidin-4-yl]-N-phenylpr
49 opionamide);
50 (17) Betameprodine;
51 (18) Betamethadol;
52 (19) Beta-Methyl fentanyl
53 (N-phenyl-N-(1-(2-phenylpropyl)piperidin-4-yl)propionamide), also
54 known as β -methyl fentanyl;
55 (20) Beta'-Phenyl fentanyl
56 (N-(1-phenethylpiperidin-4-yl)-N,3-diphenylpropanamide), also
57 known as β' -phenyl fentanyl or 3-phenylpropanoyl fentanyl;
58 (21) Betaprodine;
59 (22) Brorphine (1-(1-(1-
60 (4-bromophenyl)ethyl)piperidin-4-yl)-
61 1,3-dihydro-2H-benzo[d]imidazol-2-one);
62 (23) Butyrl fentanyl
63 (N-(1-phenethylpiperidin-4-yl)-N-phenylbutyramide);
64 (24) Clonitazene;
65 (25) Crotonyl fentanyl
66 ((E)-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide);
67 (26) Cyclopentyl fentanyl
68 (N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide);



69 (27) Cyclopropyl fentanyl
70 (N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopropanecarboxamide);
71 (28) Dextromoramide;
72 (29) Diampromide;
73 (30) Diethylthiambutene;
74 (31) Difenoxin;
75 (32) Dimenoxadol;
76 (33) Dimepheptanol;
77 (34) Dimethylthiambutene;
78 (35) Dioxaphetyl butyrate;
79 (36) Dipipanone;
80 (37) Ethylmethylthiambutene;
81 (38) Etonitazene;
82 (39) Etoxeridine;
83 (40) Fentanyl carbamate
84 (ethyl(1-phenethylpiperidin-4-yl)(phenyl)carbamate);
85 (41) Fentanyl-related substances, meaning any substance
86 not otherwise listed under another schedule and for which no
87 exemption or approval is in effect under Section 505 of the
88 Federal Food, Drug, and Cosmetic Act [21 USC 355] that is
89 structurally related to fentanyl by one or more of the following
90 modifications:
91 (A) Replacement of the phenyl portion of the
92 phenethyl group by any monocycle, whether or not further
93 substituted in or on the monocycle;



(B) Substitution in or on the phenethyl group with alkyl, alkenyl, alkoxyl, hydroxyl, halo, haloalkyl, amino or nitro groups;

(C) Substitution in or on the piperidine ring with alkyl, alkenyl, alkoxyl, ester, ether, hydroxyl, halo, haloalkyl, amino or nitro groups;

(D) Replacement of the aniline ring with any aromatic monocycle whether or not further substituted in or on the aromatic monocycle; and/or

(E) Replacement of the N-propionyl group by another acyl group.

(42) 4-Fluoroisobutyryl fentanyl
(N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide), also known as para-fluoroisobutyryl fentanyl);

(43) 2'-Fluoro ortho-fluorofentanyl
(N-(1-(2-fluorophenethyl)piperidin-4-yl)-N-(2-fluorophenyl)propionamide), also known as 2'-fluoro 2-fluorofentanyl;

(44) Furanyl fentanyl
(N-(1-phenethylpiperidin-4-yl)-N-phenylfuran-2-carboxamide);

(45) Furethidine;

(46) Hydroxypethidine;

(47) Isobutyryl fentanyl
(N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide);

(48) Isotonitazene (N,N-diethyl-2-(2-(4 isopropoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine);



119 (49) Ketobemidone (including the optical and geometric
 120 isomers);
 121 (50) Levomoramide;
 122 (51) Levophenacylmorphane;
 123 (52) Methoxyacetyl fentanyl
 124 (2-methoxy-N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide);
 125 (53) 4'-Methyl acetyl fentanyl
 126 (N-(1-(4-methylphenethyl)piperidin-4-yl)-N-phenylacetamide);
 127 (54) 3-Methylfentanyl
 128 (N-[3-methyl-1-(2-phenylethyl)-4-piperidyl]-N-phenylpropanamide);
 129 (55) 3-Methylthiofentanyl (N-[3-methyl-1-
 130 (2-thienylethyl)-4-piperidinyl]-N-phenylpropanamide);
 131 (56) Metonitazene
 132 (N,N-diethyl-2-(2-(4-methoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)e
 133 than-1-amine (metonitazene);
 134 (57) Morpheridine;
 135 (58) MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
 136 (59) MT-45
 137 (1-cyclohexyl-4-(1,2-diphenylethyl)piperazine);
 138 (60) Noracymethadol;
 139 (61) Norlevorphanol;
 140 (62) Normethadone;
 141 (63) Norpipanone;
 142 (64) Ocfentanil (N-(2-fluorophenyl)-2-methoxy-N-
 143 (1-phenethylpiperidin-4-yl)acetamide);



144 (65) Ortho-Fluoroacryl fentanyl
145 (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)acrylamide);
146 (66) Ortho-Fluorobutyryl fentanyl
147 (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)butyramide), also
148 known as 2-fluorobutyryl fentanyl;
149 (67) Ortho-Fluorofentanyl
150 (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)propionamide),
151 also known as 2-fluorofentanyl;
152 (68) Ortho-Fluoroisobutyryl fentanyl
153 (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide);
154 (69) Ortho-Methyl acetylfentanyl
155 (N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-yl)acetamide), also
156 known as 2-methyl acetylfentanyl;
157 (70) Ortho-Methyl methoxyacetyl fentanyl
158 (2-methoxy-N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-yl)
159 acetamide), also known as 2-methyl methoxyacetyl fentanyl;
160 (71) Para-Chloroisobutyryl fentanyl
161 (N-(4-chlorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide);
162 (72) Para-Fluorobutyryl fentanyl
163 (N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)butyramide);
164 (73) Para-Fluorofentanyl (N-(4-fluorophenyl)
165 -N-[1-(2-phenylethyl)-4-piperidinyl]propanamide);
166 (74) Para-Fluoro furanyl fentanyl N-(4-fluorophenyl)-N-
167 (1-phenethylpiperidin-4-yl)furan-2-carboxamide);



168 (75) Para-Methoxybutyryl fentanyl
169 (N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-yl)butyramide);
170 (76) Para-Methylfentanyl
171 (N-(4-methylphenyl)-N-(1-phenethylpiperidin-4-yl)propionamide),
172 also known as 4-methylfentanyl);
173 (77) PEPAP
174 (1-(-2-phenethyl)-4-phenyl-4-acetoxypiperidine);
175 (78) Phenadoxone;
176 (79) Phenampromide;
177 (80) Phenomorphan;
178 (81) Phenoperidine;
179 (82) Phenyl fentanyl
180 (N-(1-phenethylpiperidin-4-yl)-N-phenylbenzamide), also known as
181 benzoyl fentanyl;
182 (83) Piritramide;
183 (84) Proheptazine;
184 (85) Properidine;
185 (86) Propiram;
186 (87) Racemoramide;
187 (88) Tetrahydrofuranyl fentanyl
188 (N-(1-phenethylpiperidin-4-yl)-N-phenyltetrahydrofuran-2-
189 carboxamide);
190 (89) Thiofentanyl
191 (N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidinyl]propanamide);



192 (90) Thiofuranyl fentanyl
193 (N-(1-phenethylpiperidin-4-yl)-N-phenylthiophene-2-carboxamide),
194 also known as 2-thiofuranyl fentanyl or thiophene fentanyl;
195 (91) Tilidine;
196 (92) Trimeperidine;
197 (93) U-47700, (3,4-dichloro-N-
198 [2-(dimethylamino)cyclohexyl]-N-methylbenzamide);
199 (94) Valeryl fentanyl
200 (N-(1-phenethylpiperidin-4-yl)-N-phenylpentanamide).

201 (c) **Opium derivatives.** Unless specifically excepted or
202 unless listed in another schedule, any of the following opium
203 derivatives, their salts, isomers and salts of isomers, whenever
204 the existence of these salts, isomers and salts of isomers is
205 possible within the specific chemical designation:

- 206 (1) Acetorphine;
207 (2) Acetyldihydrocodeine;
208 (3) Benzylmorphine;
209 (4) Codeine methylbromide;
210 (5) Codeine-N-Oxide;
211 (6) Cyprenorphine;
212 (7) Desomorphine;
213 (8) Dihydromorphine;
214 (9) Drotebanol;
215 (10) Etorphine (except hydrochloride salt);
216 (11) Heroin;



- 217 (12) Hydromorphinol;
218 (13) Methyldesorphine;
219 (14) Methyldihydromorphine;
220 (15) Monoacetylmorphine;
221 (16) Morphine methylbromide;
222 (17) Morphine methylsulfonate;
223 (18) Morphine-N-Oxide;
224 (19) Myrophine;
225 (20) Nicocodeine;
226 (21) Nicomorphine;
227 (22) Normorphine;
228 (23) Pholcodine;
229 (24) Thebacon.

230 (d) **Hallucinogenic substances.** Unless specifically excepted
231 or unless listed in another schedule, any material, compound,
232 mixture or preparation which contains any quantity of the
233 following substances, their salts, isomers (whether optical,
234 positional, or geometric) and salts of isomers, whenever the
235 existence of these salts, isomers and salts of isomers is possible
236 within the specific chemical designation:

- 237 (1) Alpha-ethyltryptamine;
238 (2) 4-bromo-2,5-dimethoxy-amphetamine;
239 (3) 4-bromo-2,5-dimethoxyphenethylamine;
240 (4) 2,5-dimethoxyamphetamine;
241 (5) 2,5-dimethoxy-4-ethylamphetamine (DOET);



242 (6) 2,5-dimethoxy-4-(n)-propylthiophenethylamine
243 (2C-T-7);
244 (7) 4-methoxyamphetamine;
245 (8) 5-methoxy-3,4-methylenedioxy-amphetamine;
246 (9) 4-methyl-2,5-dimethoxy-amphetamine;
247 (10) 3,4-methylenedioxy amphetamine;
248 (11) 3,4-methylenedioxymethamphetamine (MDMA);
249 (12) 3,4-methylenedioxy-N-ethylamphetamine (also known
250 as N-ethyl-alpha-methyl-3,4(methylenedioxy)phenethylamine, N-ethyl
251 MDA, MDE, MDEA);
252 (13) N-hydroxy-3,4-methylenedioxyamphetamine (also
253 known as N-hydroxy MDA, N-OHMDA, and
254 N-hydroxy-alpha-methyl-3,4(methylenedioxy)phenethylamine);
255 (14) 3,4,5-trimethoxy amphetamine;
256 (15) 5-methoxy-N,N-dimethyltryptamine (5-MeO-DMT);
257 (16) Alpha-methyltryptamine (also known as AMT);
258 (17) Bufotenine;
259 (18) Diethyltryptamine;
260 (19) Dimethyltryptamine;
261 (20) 5-methoxy-N,N-diisopropyltryptamine (5-MeO-DIPT);
262 (21) Ibogaine;
263 (22) Lysergic acid diethylamide (LSD);
264 (23) (A) Marijuana (Hemp as defined and regulated
265 under Sections 69-25-201 through 69-25-221 except any product
266 derived from the hemp plant designed for human ingestion and/or



267 consumption that is not approved by the United States Food and
268 Drug Administration and Cannabidiol contained in a legend drug
269 product approved by the Federal Food and Drug Administration or
270 obtained under Section 41-29-136 are exempt under Schedule I);

271 (B) Hashish;

272 (C) Any product derived from the hemp plant
273 designed for human ingestion and/or consumption that is not
274 approved by the United States Food and Drug Administration;

275 (24) Mescaline;

276 (25) Parahexyl;

277 (26) Peyote;

278 (27) N-ethyl-3-piperidyl benzilate;

279 (28) N-methyl-3-piperidyl benzilate;

280 (29) Psilocybin;

281 (30) Psilocyn;

282 (31) Tetrahydrocannabinols, meaning

283 tetrahydrocannabinols contained in a plant of the genus Cannabis
284 (cannabis plant), as well as the synthetic equivalents of the
285 substances contained in the cannabis plant, or in the resinous
286 extractives of such plant, and/or synthetic substances,
287 derivatives, and their isomers with similar chemical structure and
288 pharmacological activity to those substances contained in the
289 plant such as the following:

290 (A) 1 cis or trans tetrahydrocannabinol;

291 (B) 6 cis or trans tetrahydrocannabinol;



292 (C) 3,4 cis or trans tetrahydrocannabinol.
293 (Since nomenclature of these substances is not
294 internationally standardized, compounds of these structures,
295 regardless of atomic positions, are covered.)
296 ("Tetrahydrocannabinols" excludes dronabinol and nabilone.)
297 For purposes of this paragraph, tetrahydrocannabinols do not
298 include hemp or hemp products regulated under Sections 69-25-201
299 through 69-25-221.
300 However, the following products are exempted from control:
301 (i) THC-containing industrial products made
302 from cannabis stalks (e.g., paper, rope and clothing);
303 (ii) Processed cannabis plant materials used
304 for industrial purposes, such as fiber retted from cannabis stalks
305 for use in manufacturing textiles or rope;
306 (iii) Animal feed mixtures that contain
307 sterilized cannabis seeds and other ingredients (not derived from
308 the cannabis plant) in a formula designed, marketed and
309 distributed for nonhuman consumption;
310 (iv) Personal care products that contain oil
311 from sterilized cannabis seeds, such as shampoos, soaps, and body
312 lotions (if the products do not cause THC to enter the human
313 body);
314 (v) Hemp as regulated under Sections
315 69-25-201 through 69-25-221 except any product derived from the
316 hemp plant designed for human ingestion and/or consumption that is



317 not approved by the United States Food and Drug Administration;

318 and

319 (vi) Any product derived from the hemp plant
320 designed for human ingestion and/or consumption that is approved
321 by the United States Food and Drug Administration;

322 (32) Phencyclidine;

323 (33) Ethylamine analog of phencyclidine (PCE);

324 (34) Pyrrolidine analog of phencyclidine (PHP, PCPy);

325 (35) Thiophene analog of phencyclidine;

326 (36) 1-[1-(2-thienyl)cyclohexyl] pyrrolidine (TCPy);

327 (37) 4-methylmethcathinone (mephedrone);

328 (38) 3,4-methylenedioxypyrovalerone (MDPV);

329 (39) 2-(2,5-dimethoxy-4-ethylphenyl)ethanamine (2C-E);

330 (40) 2-(2,5-dimethoxy-4-methylphenyl)ethanamine (2C-D);

331 (41) 2-(4-chloro-2,5-dimethoxyphenyl)ethanamine (2C-C);

332 (42) 2-(4-iodo-2,5-dimethoxyphenyl)ethanamine (2C-I);

333 or 2,5-dimethoxy-4-iodophenethylamine;

334 (43) 2-[4-(ethylthio)-2,5-dimethoxyphenyl]ethanamine

335 (2C-T-2);

336 (44)

337 2-[4-(isopropylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-4);

338 (45) 2-(2,5-dimethoxyphenyl)ethanamine (2C-H);

339 (46) 2-(2,5-dimethoxy-4-nitro-phenyl)ethanamine (2C-N);

340 (47) 2-(2,5-dimethoxy-4-(n)-propylphenyl)ethanamine

341 (2C-P);



342 (48) 3,4-methylenedioxy-N-methylcathinone (methyldone);
343 (49)
344 2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine
345 (25B-NBOMe; 2C-B-NBOMe; 25B; Cimbi-36);
346 (50)
347 2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine
348 (25C-NBOMe; 2C-C-NBOMe; 25C; Cimbi-82);
349 (51)
350 2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine or
351 N-[(2-methoxyphenyl)methyl]ethanamine (25I-NBOMe; 2C-I-NBOMe; 25I;
352 Cimbi-5);
353 (52) 7-bromo-5-(2-chlorophenyl)-1,3-dihydro-2H-1,
354 4-benzodiazepin-2-one (also known as Phenazepam);
355 (53) 7-(2-chlorophenyl)-4-ethyl-13-methyl-3-thia-1,8,
356 11,12-tetraazatricyclo[8.3.0.0]trideca-2(6),4,7,10,12-pentaene
357 (also known as Etizolam);
358 (54) Salvia divinorum;
359 (55) Synthetic cannabinoids. Unless specifically
360 excepted or unless listed in another schedule, any material,
361 compound, mixture, or preparation which contains any quantity of a
362 synthetic cannabinoid found in any of the following chemical
363 groups, whether or not substituted to any extent, or any of those
364 groups which contain any synthetic cannabinoid salts, isomers, or
365 salts of isomers, whenever the existence of such salts, isomers,
366 or salts of isomers is possible within the specific chemical



designation, including all synthetic cannabinoid chemical analogues in such groups:

(A) (6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol (also known as HU-210 or 1,1-dimethylheptyl-11-hydroxy-delta8-tetrahydrocannabinol);

(B) Naphthoylindoles and naphthylmethylindoles, being any compound structurally derived from 3-(1-naphthoyl)indole or 1H-indol-3-yl-(1-naphthyl)methane, whether or not substituted in the indole ring to any extent, or in the naphthyl ring to any extent;

(C) Naphthoylpyrroles, being any compound structurally derived from 3-(1-naphthoyl)pyrrole, whether or not substituted in the pyrrole ring to any extent, or in the naphthyl ring to any extent;

(D) Naphthylmethylindenenes, being any compound structurally derived from 1-(1-naphthylmethyl)indene, whether or not substituted in the indene ring to any extent or in the naphthyl ring to any extent;

(E) Phenylacetylindoles, being any compound structurally derived from 3-phenylacetylindole, whether or not substituted in the indole ring to any extent or in the phenyl ring to any extent;

(F) Cyclohexylphenols, being any compound structurally derived from 2-(3-hydroxycyclohexyl)phenol, whether



or not substituted in the cyclohexyl ring to any extent or in the phenolic ring to any extent;

(G) Benzoylindoles, whether or not substituted in the indole ring to any extent or in the phenyl ring to any extent;

(H) Adamantoylindoles, whether or not substituted in the indole ring to any extent or in the adamantoyl ring system to any extent;

(I) Tetrahydro derivatives of cannabinal and 3-alkyl homologues of cannabinal or of its tetrahydro derivatives, except where contained in cannabis or cannabis resin;

(J) 3-Cyclopropylmethanone indole or 3-Cyclobutylmethanone indole or 3-Cyclopentylmethanone indole by substitution at the nitrogen atom of the indole ring, whether or not further substituted in the indole ring to any extent, whether or not substituted on the cyclopropyl, cyclobutyl or cyclopentyl rings to any extent;

(K) Quinoliny ester indoles, being any compound structurally derived from 1H-indole-3carboxylic acid-8-quinoliny ester, whether or not substituted in the indole ring to any extent or the quinolone ring to any extent;

(L) 3-carboxamide-1H-indazoles, whether or not substituted in the indazole ring to any extent and substituted to any degree on the carboxamide nitrogen and 3-carboxamide-1H-indoles, whether or not substituted in the indole



416 ring to any extent and substituted to any degree on the
417 carboxamide nitrogen;

418 (M) Cycloalkanemethanone Indoles, whether or not
419 substituted at the nitrogen atom on the indole ring, whether or
420 not further substituted in the indole ring to any extent, whether
421 or not substituted on the cycloalkane ring to any extent;

422 (56) Naphthalen-1-yl
423 1-(5-fluoropentyl)-1H-indole-3-carboxylate, also known as NM2201
424 or CBL2201;

425 (57) 1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1H-
426 pyrrolo[2,3-b]pyridine-3-carboxamide, also known as
427 5F-CUMYL-P7AICA or SGT-25;

428 (58) Methyl
429 2-(1-(4-fluorobutyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutano
430 ate, also known as 4F-MDMB-BINACA or 4F-MDMB-BUTINACA);

431 (59) 1-(4-methoxyphenyl)-N-methylpropan-2-amine, also
432 known as para-methoxymethamphetamine or PMMA;

433 (60) Ethyl 2-(1-(5-fluoropentyl)
434 -1H-indazole-3-carboxamido)-3,3-dimethylbutanoate, also known as
435 5F-EDMB-PINACA;

436 (61) Methyl
437 2-(1-(5-fluoropentyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoa
438 te, also known as 5F-MDMB-PICA or 5F-MDMB-2201;

439 (62)
440 N-(adamantan-1-yl)-1-(4-fluorobenzyl)-1H-indazole-3-carboxamide,



441 also known as FUB-AKB48 or FUB-APINACA or AKB48
442 N-(4-fluorobenzyl);
443 (63)
444 (1-(4-fluorobenzyl)-1H-indol-3-yl)(2,2,3,3-tetramethylcyclopropyl)
445 methanone, also known as FUB-144;
446 (64) N-ethylhexedrone, also known as
447 α -ethylaminohexanophenone or 2-(ethylamino)-1-phenylhexan-1-one;
448 (65) Alpha-pyrrolidinohexanophenone, also known as
449 α -PHP or α -pyrrolidinohexanophenone or
450 1-phenyl-2-(pyrrolidin-1-yl)hexan-1-one);
451 (66) 4-methyl-alpha-ethylaminopentiophenone, also known
452 as 4-MEAP or 2-(ethylamino)-1-(4-methylphenyl)pentan-1-one);
453 (67) 4'-methyl-alpha-pyrrolidinohexiophenone, also
454 known as MPHP or 4'-methyl-alpha-pyrrolidinohexanophenone or
455 1-(4-methylphenyl)-2-(pyrrolidin-1-yl)hexan-1-one);
456 (68) Alpha-pyrrolidinoheptaphenone (also known as PV8;
457 1-phenyl-2-(pyrrolidin-1-yl)heptan-1-one);
458 (69) 4'-chloro-alpha-pyrrolidinovalerophenone, also
459 known as 4-chloro- α -PVP or 4'-chloro- α -pyrrolidinopentiophenone or
460 1-(4-chlorophenyl)-2-(pyrrolidin-1-yl)pentan-1-one);
461 (70)
462 2-(ethylamino)-2-(3-methoxyphenyl)cyclohexan-1-one, also known as
463 methoxetamine or MXE;
464 (71) Zipeprol



465 (1-methoxy-3-[4-(2-methoxy-2-phenylethyl)piperazin-1-yl]-1-phenylp
466 ropan-2-ol); and

467 (72) Eutylone

468 (1-(1,3-benzodioxol-5-yl)-2-(ethylamino)butan-1-one).

469 (e) **Depressants.** Unless specifically excepted or unless
470 listed in another schedule, any material, compound, mixture, or
471 preparation which contains any quantity of the following
472 substances having a depressant effect on the central nervous
473 system, including their salts, isomers, and salts of isomers,
474 whenever the existence of such salts, isomers, and salts of
475 isomers is possible within the specific chemical designation:

476 (1) Clonazepam,

477 6-(2-chlorophenyl)-1-methyl-8-nitro-4H-[1,2,4]triazolo[4,3-a][1,4]
478 benzodiazepine;

479 (2) Flualprazolam,

480 8-chloro-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-a][1,4]
481]benzodiazepine;

482 (3) Flubromazepam,

483 7-bromo-5-(2-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one;

484 (4) Flubromazolam,

485 8-bromo-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-a][1,4]
486 benzodiazepine;

487 (5) Gamma-hydroxybutyric acid (other names include:

488 GHB, gamma-hydroxybutyrate; 4-hydroxybutyrate; 4-hydroxybutanoic
489 acid; sodium oxybate; sodium oxybutyrate);



490 (6) Mecloqualone;
491 (7) Methaqualone.
492 (f) **Stimulants.** Any material, compound, mixture or
493 preparation which contains any quantity of the following central
494 nervous system stimulants including optical salts, isomers and
495 salts of isomers unless specifically excepted or unless listed in
496 another schedule:
497 (1) Aminorex;
498 (2) Amineptine
499 (7-[(10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5-yl)amino]heptanoic
500 acid);
501 (3) N-benzylpiperazine (also known as BZP and
502 1-benzylpiperazine);
503 (4) Cathinone;
504 (5) 4,4'-Dimethylaminorex, also known as 4,4'-DMAR or
505 4,5-dihydro-4-methyl-5-(4-methylphenyl)-2-oxazamine;
506 4-methyl-5-(4-methylphenyl)-4,5-dihydro-1,3-oxazol-2-amine);
507 (6) Fenethylamine;
508 (7) Mesocarb
509 (N-phenyl-N'-(3-(1-phenylpropan-2-yl)-1,2,3-oxadiazol-3-
510 ium-5-yl)carbamimidate);
511 (8) Methcathinone;
512 (9) Methiopropamine
513 (N-methyl-1-(thiophen-2-yl)propan-2-amine));



514 (10) 4-methylaminorex (also known as
515 2-amino-4-methyl-5-phenyl-2-oxazoline);
516 (11) N-ethylamphetamine;
517 (12) Any material, compound, mixture or preparation
518 which contains any quantity of N,N-dimethylamphetamine. (Other
519 names include: N,N,-alpha-trimethyl-benzeneethanamine and
520 N,N-alpha-trimethylphenethylamine);
521 (13) Synthetic cathinones. (A) Unless listed in
522 another schedule, any compound other than bupropion that is
523 structurally derived from 2-Amino-1-phenyl-1-propanone by
524 modification in any of the following ways:
525 (i) By substitution in the phenyl ring to any
526 extent with alkyl, alkoxy, alkylendioxy, haloalkyl or halide
527 substituents, whether or not further substituted in the phenyl
528 ring by one or more other univalent substituents;
529 (ii) By substitution at the 3-position with
530 an alkyl substituent;
531 (iii) By substitution at the nitrogen atom
532 with alkyl or dialkyl groups, or by inclusion of the nitrogen atom
533 in a cyclic structure.
534 (B) The compounds covered in this paragraph (10)
535 include, but are not limited to, any material, compound, mixture
536 or preparation which contains any quantity of a synthetic
537 cathinone found in any of the following compounds, whether or not
538 substituted to any extent, or any of these compounds which contain



539 any synthetic cathinone, or salts, isomers, or salts of isomers,
540 whenever the existence of such salts, isomers or salts of isomers
541 is possible, unless specifically excepted or listed in another
542 schedule:

- 543 (i) 4-methyl-N-ethylcathinone ("4-MEC");
544 (ii) 4-methyl-alpha-pyrrolidinopropiophenone
545 ("4-MePPP");
546 (iii) Alpha-pyrrolidinopentiophenone
547 ("α-PVP");
548 (iv) 1-(1,3-benzodioxol-5-yl)-2-
549 (methylamino)butan-1-one ("butylone");
550 (v) 2-(methylamino)-1-phenylpentan-1-one
551 ("pentedrone");
552 (vi) 1-(1,3-benzodioxol-5-yl)-2-
553 (methylamino)pentan-1-one ("pentylone");
554 (vii) 4-fluoro-N-methylcathinone ("4-FMC");
555 (viii) 3-fluoro-N-methylcathinone ("3-FMC");
556 (ix) 1-(naphthalen-2-yl)-2- (pyrrolidin-1-yl)
557 pentan-1-one ("naphyrone");
558 (x) Alpha-pyrrolidinobutiophenone ("α-PBP");
559 and
560 (xi) 1-(1,3-benzodioxol-5-yl)-2-(ethylamino)
561 -pentan-1-one (N-ethylpentylone, ephylone).

562 **SECTION 2.** This act shall take effect and be in force from
563 and after July 1, 2025.

