

By: Senator(s) Turner-Ford

To: Drug Policy

## SENATE BILL NO. 2356

1 AN ACT TO AMEND SECTION 41-29-113, MISSISSIPPI CODE OF 1972,  
2 TO INCLUDE 16 SUBSTANCES AS SCHEDULE I CONTROLLED SUBSTANCES  
3 BECAUSE THESE DRUGS HAVE NO LEGITIMATE MEDICAL USE AND HAVE A HIGH  
4 POTENCY WITH GREAT POTENTIAL TO CAUSE HARM; AND FOR RELATED  
5 PURPOSES.

6 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF MISSISSIPPI:

7 **SECTION 1.** Section 41-29-113, Mississippi Code of 1972, is  
8 amended as follows:

9 41-29-113.

10 **SCHEDULE I**

11 (a) Schedule I consists of the drugs and other substances,  
12 by whatever official name, common or usual name, chemical name, or  
13 brand name designated, that is listed in this section.

14 (b) **Opiates.** Unless specifically excepted or unless listed  
15 in another schedule, any of the following opiates, including their  
16 isomers, esters, ethers, salts and salts of isomers, esters and  
17 ethers, whenever the existence of these isomers, esters, ethers  
18 and salts is possible within the specific chemical designation:



19 (1) Acetyl-alpha-methylfentanyl  
20 (N-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-phenylacetamide);  
21 (2) Acetylmethadol;  
22 (3) Acetyl fentanyl  
23 (N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide);  
24 (4) Acryl fentanyl  
25 (N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide), also known as  
26 acryloylfentanyl;  
27 (5) AH-7921 (3,4-dichloro-N-[(1-dimethylamino)  
28 cyclohexylmethyl]benzamide);  
29 (6) Allylprodine;  
30 (7) Alphacetylmethadol, except levo-alphacetylmethadol  
31 (levo-alpha-acetylmethadol, levomethadyl acetate, or LAAM);  
32 (8) Alphameprodine;  
33 (9) Alphamethadol;  
34 (10) Alpha'-methyl butyryl fentanyl  
35 (2-methyl-N-1-phenethylpiperidin-4-yl)-N-phenylbutanamide);  
36 ( \* \* \*11) Alpha-Methylfentanyl  
37 (N-[1-alpha-methyl-beta-phenyl)ethyl-4-piperidyl]propionanilide;  
38 1-(1-methyl-2-phenylethyl)-4-(N-propanilido)piperidine);  
39 ( \* \* \*12) Alpha-Methylthiofentanyl  
40 (N-[1-methyl-2-(2-thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide  
41 );  
42 ( \* \* \*13) Benzethidine;  
43 ( \* \* \*14) Betacetylmethadol;



44 ( \* \* \*15) Beta-Hydroxyfentanyl  
45 (N-[1-(2-hydroxy-2-phenethyl)-4-piperidinyl]-N-phenylpropanamide);  
46 ( \* \* \*16) Beta-Hydroxy-3-methylfentanyl  
47 (N-[1-(2-hydroxy-2-phenylethyl)-3-methyl-4-piperidinyl]-N-phenylpr  
48 opanamide);  
49 ( \* \* \*17) Beta-Hydroxythiofentanyl  
50 (N-[1-[2-hydroxy-2-(thiophen-2-yl)ethyl]piperidin-4-yl]-N-phenylpr  
51 opionamide);  
52 ( \* \* \*18) Betameprodine;  
53 ( \* \* \*19) Betamethadol;  
54 ( \* \* \*20) Beta-Methyl fentanyl  
55 (N-phenyl-N-(1-(2-phenylpropyl)piperidin-4-yl)propionamide), also  
56 known as  $\beta$ -methyl fentanyl;  
57 ( \* \* \*21) Beta'-Phenyl fentanyl  
58 (N-(1-phenethylpiperidin-4-yl)-N,3-diphenylpropanamide), also  
59 known as  $\beta'$ -phenyl fentanyl or 3-phenylpropanoyl fentanyl;  
60 ( \* \* \*22) Betaprodine;  
61 ( \* \* \*23) Brorphine (1-(1-(1-  
62 (4-bromophenyl)ethyl)piperidin-4-yl)-  
63 1,3-dihydro-2H-benzo[d]imidazol-2-one);  
64 ( \* \* \*24) Butyrl fentanyl  
65 (N-(1-phenethylpiperidin-4-yl)-N-phenylbutyramide);  
66 ( \* \* \*25) Clonitazene;  
67 ( \* \* \*26) Crotonyl fentanyl  
68 ((E)-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide);



69 ( \* \* \*27) Cyclopentyl fentanyl  
70 (N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide);  
71 ( \* \* \*28) Cyclopropyl fentanyl  
72 (N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopropanecarboxamide);  
73 ( \* \* \*29) Dextromoramide;  
74 ( \* \* \*30) Diampromide;  
75 ( \* \* \*31) Diethylthiambutene;  
76 ( \* \* \*32) Difenoxin;  
77 ( \* \* \*33) Dimenoxadol;  
78 ( \* \* \*34) Dimepheptanol;  
79 (35) 2',5'-dimethoxyfentanyl  
80 (N-1-2,5-dimethoxyphenethyl)piperidin-4-yl)-N-phenylpropionamide);  
81 ( \* \* \*36) Dimethylthiambutene;  
82 ( \* \* \*37) Dioxaphetyl butyrate;  
83 ( \* \* \*38) Dipipanone;  
84 ( \* \* \*39) Ethylmethylthiambutene;  
85 (40) Etodesnitazene  
86 (2-2-4-ethoxybenzyl)-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amin  
87 e, also known as etazene;  
88 ( \* \* \*41) Etonitazene;  
89 ( \* \* \*42) Etoxeridine;  
90 ( \* \* \*43) Fentanyl carbamate  
91 (ethyl(1-phenethylpiperidin-4-yl)(phenyl)carbamate);  
92 ( \* \* \*44) Fentanyl-related substances, meaning any  
93 substance not otherwise listed under another schedule and for



which no exemption or approval is in effect under Section 505 of the Federal Food, Drug, and Cosmetic Act [21 USC 355] that is structurally related to fentanyl by one or more of the following modifications:

(A) Replacement of the phenyl portion of the phenethyl group by any monocycle, whether or not further substituted in or on the monocycle;

(B) Substitution in or on the phenethyl group with alkyl, alkenyl, alkoxy, hydroxyl, halo, haloalkyl, amino or nitro groups;

(C) Substitution in or on the piperidine ring with alkyl, alkenyl, alkoxy, ester, ether, hydroxyl, halo, haloalkyl, amino or nitro groups;

(D) Replacement of the aniline ring with any aromatic monocycle whether or not further substituted in or on the aromatic monocycle; and/or

(E) Replacement of the N-propionyl group by another acyl group.

( \* \* \*45) 4-Fluoroisobutyryl fentanyl (N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide), also known as para-fluoroisobutyryl fentanyl);

( \* \* \*46) 2'-Fluoro ortho-fluorofentanyl (N-(1-(2-fluorophenethyl)piperidin-4-yl)-N-(2-fluorophenyl)propionamide), also known as 2'-fluoro 2-fluorofentanyl;



118 ( \* \* \*47) Furanyl fentanyl  
119 (N-(1-phenethylpiperidin-4-yl)-N-phenylfuran-2-carboxamide);  
120 (48) 3-furanyl fentanyl  
121 (N-1-phenethylpiperidin-4-yl)-N-phenylfuran-3-carboxamide);  
122 ( \* \* \*49) Furethidine;  
123 ( \* \* \*50) Hydroxypethidine;  
124 ( \* \* \*51) Isobutyryl fentanyl  
125 (N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide);  
126 ( \* \* \*52) Isotonitazene (N,N-diethyl-2-(2-(4  
127 isopropoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine);  
128 (53) Isovaleryl fentanyl  
129 (3-methyl-N-1-phenethylpiperidin-4-yl)-N-phenylbutanamide);  
130 ( \* \* \*54) Ketobemidone (including the optical and  
131 geometric isomers);  
132 ( \* \* \*55) Levomoramide;  
133 ( \* \* \*56) Levophenacylmorphane;  
134 (57) Meta-fluorofentanyl  
135 (N-3-fluorophenyl)-N-1-phenethylpiperidin-4-yl)propionamide);  
136 (58) Meta-fluoroisobutyryl fentanyl  
137 (N-(3-fluorophenyl)-N-1-phenethylpiperidin-4-yl)isobutyramide);  
138 ( \* \* \*59) Methoxyacetyl fentanyl  
139 (2-methoxy-N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide);  
140 ( \* \* \*60) 4'-Methyl acetyl fentanyl  
141 (N-(1-(4-methylphenethyl)piperidin-4-yl)-N-phenylacetamide);



142 (61) 2-methyl AP-237  
 143 (1-2-methyl-4-3-phenylprop-2-en-1-yl)piperazin-1-yl)butan-1-one;  
 144 ( \* \* \*62) 3-Methylfentanyl  
 145 (N-[3-methyl-1-(2-phenylethyl)-4-piperidyl]-N-phenylpropanamide);  
 146 ( \* \* \*63) 3-Methylthiofentanyl (N-[3-methyl-1-  
 147 (2-thienylethyl)-4-piperidinyl]-N-phenylpropanamide);  
 148 (64) Para-methoxyfuranyl fentanyl  
 149 (N-(4-methoxyphenyl)-N-1-phenethylpiperidin-4-yl) furan-2-carboxami  
 150 de);  
 151 ( \* \* \*65) Metonitazene  
 152 (N,N-diethyl-2-(2-(4-methoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)e  
 153 than-1-amine (metonitazene);  
 154 ( \* \* \*66) Morpheridine;  
 155 ( \* \* \*67) MPPP  
 156 (1-methyl-4-phenyl-4-propionoxypiperidine);  
 157 ( \* \* \*68) MT-45  
 158 (1-cyclohexyl-4-(1,2-diphenylethyl)piperazine);  
 159 (69) N-pyrrolidino etonitazene  
 160 2-4-ethoxybenzyl)-5-nitro-1-2-pyrrolidin-1-yl)ethyl)-1H-benzimidaz  
 161 ole, also known as etonitazepyne;  
 162 ( \* \* \*70) Noracymethadol;  
 163 ( \* \* \*71) Norlevorphanol;  
 164 ( \* \* \*72) Normethadone;  
 165 ( \* \* \*73) Norpipanone;  
 166 ( \* \* \*74) Ocfentanil (N-(2-fluorophenyl)-2-methoxy-N-



167 (1-phenethylpiperidin-4-yl)acetamide);  
168 ( \* \* \*75) Ortho-Fluoroacryl fentanyl  
169 (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)acrylamide);  
170 ( \* \* \*76) Ortho-Fluorobutyryl fentanyl  
171 (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)butyramide), also  
172 known as 2-fluorobutyryl fentanyl;  
173 ( \* \* \*77) Ortho-Fluorofentanyl  
174 (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)propionamide),  
175 also known as 2-fluorofentanyl;  
176 (78) Ortho-fluorofuranyl fentanyl  
177 (N-2-fluorophenyl)-N-1-phenethylpiperidin-4-yl) furan-2-carboxamide  
178 );  
179 ( \* \* \*79) Ortho-Fluoroisobutyryl fentanyl  
180 (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide);  
181 ( \* \* \*80) Ortho-Methyl acetylfentanyl  
182 (N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-yl)acetamide), also  
183 known as 2-methyl acetylfentanyl;  
184 ( \* \* \*81) Ortho-Methyl methoxyacetyl fentanyl  
185 (2-methoxy-N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-yl)  
186 acetamide), also known as 2-methyl methoxyacetyl fentanyl;  
187 ( \* \* \*82) Para-Chloroisobutyryl fentanyl  
188 (N-(4-chlorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide);  
189 ( \* \* \*83) Para-Fluorobutyryl fentanyl  
190 (N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)butyramide);  
191 ( \* \* \*84) Para-Fluorofentanyl (N-(4-fluorophenyl)





192 -N-[1-(2-phenylethyl)-4-piperidinyl]propanamide);  
193 ( \* \* \*85) Para-Fluoro furanyl fentanyl  
194 N-(4-fluorophenyl)-N-  
195 (1-phenethylpiperidin-4-yl)furan-2-carboxamide);  
196 ( \* \* \*86) Para-Methoxybutyryl fentanyl  
197 (N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-yl)butyramide);  
198 (87) Para-methylcyclopropyl fentanyl  
199 (N-4-methylphenyl)-N-1-phenethylpiperidin-4-yl)cyclopropanecarboxa  
200 mide);  
201 ( \* \* \*88) Para-Methylfentanyl  
202 (N-(4-methylphenyl)-N-(1-phenethylpiperidin-4-yl)propionamide),  
203 also known as 4-methylfentanyl);  
204 ( \* \* \*89) PEPAP  
205 (1-(-2-phenethyl)-4-phenyl-4-acetoxypiperidine);  
206 ( \* \* \*90) Phenadoxone;  
207 ( \* \* \*91) Phenampromide;  
208 ( \* \* \*92) Phenomorphan;  
209 ( \* \* \*93) Phenoperidine;  
210 ( \* \* \*94) Phenyl fentanyl  
211 (N-(1-phenethylpiperidin-4-yl)-N-phenylbenzamide), also known as  
212 benzoyl fentanyl;  
213 ( \* \* \*95) Piritramide;  
214 ( \* \* \*96) Proheptazine;  
215 ( \* \* \*97) Properidine;  
216 ( \* \* \*98) Propiram;



217                   (99) Protonitazene  
218 N,N-diethyl-2-5-nitro-2-4-propoxybenzyl)-1H-benzimidazol-1-yl)etha  
219 n-1-amine;  
220                   ( \* \* \*100) Racemoramide;  
221                   ( \* \* \*101) Tetrahydrofuranyl fentanyl  
222 (N-(1-phenethylpiperidin-4-yl)-N-phenyltetrahydrofuran-2-  
223 carboxamide);  
224                   ( \* \* \*102) Thiofentanyl  
225 (N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidinyl]propanamide);  
226                   ( \* \* \*103) Thiofuranyl fentanyl  
227 (N-(1-phenethylpiperidin-4-yl)-N-phenylthiophene-2-carboxamide),  
228 also known as 2-thiofuranyl fentanyl or thiophene fentanyl;  
229                   ( \* \* \*104) Tilidine;  
230                   ( \* \* \*105) Trimeperidine;  
231                   ( \* \* \*106) U-47700, (3,4-dichloro-N-  
232 [2-(dimethylamino)cyclohexyl]-N-methylbenzamide);  
233                   ( \* \* \*107) Valeryl fentanyl  
234 (N-(1-phenethylpiperidin-4-yl)-N-phenylpentanamide).  
235           (c) **Opium derivatives.** Unless specifically excepted or  
236 unless listed in another schedule, any of the following opium  
237 derivatives, their salts, isomers and salts of isomers, whenever  
238 the existence of these salts, isomers and salts of isomers is  
239 possible within the specific chemical designation:  
240                   (1) Acetorphine;  
241                   (2) Acetyldihydrocodeine;



- 242 (3) Benzylmorphine;  
243 (4) Codeine methylbromide;  
244 (5) Codeine-N-Oxide;  
245 (6) Cyprenorphine;  
246 (7) Desomorphine;  
247 (8) Dihydromorphine;  
248 (9) Drotebanol;  
249 (10) Etorphine (except hydrochloride salt);  
250 (11) Heroin;  
251 (12) Hydromorphenol;  
252 (13) Methyldesorphine;  
253 (14) Methyldihydromorphine;  
254 (15) Monoacetylmorphine;  
255 (16) Morphine methylbromide;  
256 (17) Morphine methylsulfonate;  
257 (18) Morphine-N-Oxide;  
258 (19) Myrophine;  
259 (20) Nicocodeine;  
260 (21) Nicomorphine;  
261 (22) Normorphine;  
262 (23) Pholcodine;  
263 (24) Thebacon.

264 (d) **Hallucinogenic substances.** Unless specifically excepted  
265 or unless listed in another schedule, any material, compound,  
266 mixture or preparation which contains any quantity of the



267 following substances, their salts, isomers (whether optical,  
268 positional, or geometric) and salts of isomers, whenever the  
269 existence of these salts, isomers and salts of isomers is possible  
270 within the specific chemical designation:

- 271 (1) Alpha-ethyltryptamine;
- 272 (2) 4-bromo-2,5-dimethoxy-amphetamine;
- 273 (3) 4-bromo-2,5-dimethoxyphenethylamine;
- 274 (4) 2,5-dimethoxyamphetamine;
- 275 (5) 2,5-dimethoxy-4-ethylamphetamine (DOET);
- 276 (6) 2,5-dimethoxy-4-(n)-propylthiophenethylamine  
277 (2C-T-7);
- 278 (7) 4-methoxyamphetamine;
- 279 (8) 5-methoxy-3,4-methylenedioxy-amphetamine;
- 280 (9) 4-methyl-2,5-dimethoxy-amphetamine;
- 281 (10) 3,4-methylenedioxy amphetamine;
- 282 (11) 3,4-methylenedioxymethamphetamine (MDMA);
- 283 (12) 3,4-methylenedioxy-N-ethylamphetamine (also known  
284 as N-ethyl-alpha-methyl-3,4(methylenedioxy)phenethylamine, N-ethyl  
285 MDA, MDE, MDEA);
- 286 (13) N-hydroxy-3,4-methylenedioxyamphetamine (also  
287 known as N-hydroxy MDA, N-OHMDA, and  
288 N-hydroxy-alpha-methyl-3,4(methylenedioxy)phenethylamine);
- 289 (14) 3,4,5-trimethoxy amphetamine;
- 290 (15) 5-methoxy-N,N-dimethyltryptamine (5-MeO-DMT);
- 291 (16) Alpha-methyltryptamine (also known as AMT);



292 (17) Bufotenine;  
293 (18) Diethyltryptamine;  
294 (19) Dimethyltryptamine;  
295 (20) 5-methoxy-N,N-diisopropyltryptamine (5-MeO-DIPT);  
296 (21) Ibogaine;  
297 (22) Lysergic acid diethylamide (LSD);  
298 (23) (A) Marijuana (Hemp as defined and regulated  
299 under Sections 69-25-201 through 69-25-221 and Cannabidiol  
300 contained in a legend drug product approved by the Federal Food  
301 and Drug Administration or obtained under Section 41-29-136 are  
302 exempt under Schedule I);  
303 (B) Hashish;  
304 (24) Mescaline;  
305 (25) Parahexyl;  
306 (26) Peyote;  
307 (27) N-ethyl-3-piperidyl benzilate;  
308 (28) N-methyl-3-piperidyl benzilate;  
309 (29) Psilocybin;  
310 (30) Psilocyn;  
311 (31) Tetrahydrocannabinols, meaning  
312 tetrahydrocannabinols contained in a plant of the genus Cannabis  
313 (cannabis plant), as well as the synthetic equivalents of the  
314 substances contained in the cannabis plant, or in the resinous  
315 extractives of such plant, and/or synthetic substances,  
316 derivatives, and their isomers with similar chemical structure and



pharmacological activity to those substances contained in the plant such as the following:

(A) 1 cis or trans tetrahydrocannabinol;

(B) 6 cis or trans tetrahydrocannabinol;

(C) 3,4 cis or trans tetrahydrocannabinol.

(Since nomenclature of these substances is not internationally standardized, compounds of these structures, regardless of atomic positions, are covered.)

("Tetrahydrocannabinols" excludes dronabinol and nabilone.)

For purposes of this paragraph, tetrahydrocannabinols do not include hemp or hemp products regulated under Sections 69-25-201 through 69-25-221.

However, the following products are exempted from control:

(i) THC-containing industrial products made from cannabis stalks (e.g., paper, rope and clothing);

(ii) Processed cannabis plant materials used for industrial purposes, such as fiber retted from cannabis stalks for use in manufacturing textiles or rope;

(iii) Animal feed mixtures that contain sterilized cannabis seeds and other ingredients (not derived from the cannabis plant) in a formula designed, marketed and distributed for nonhuman consumption;

(iv) Personal care products that contain oil from sterilized cannabis seeds, such as shampoos, soaps, and body



341 lotions (if the products do not cause THC to enter the human  
342 body);

343 (v) Hemp as regulated under Sections  
344 69-25-201 through 69-25-221; and

345 (vi) Any product derived from the hemp plant  
346 designed for human ingestion and/or consumption that is approved  
347 by the United States Food and Drug Administration;

348 (32) Phencyclidine;

349 (33) Ethylamine analog of phencyclidine (PCE);

350 (34) Pyrrolidine analog of phencyclidine (PHP, PCPy);

351 (35) Thiophene analog of phencyclidine;

352 (36) 1-[1-(2-thienyl)cyclohexyl] pyrrolidine (TCPy);

353 (37) 4-methylmethcathinone (mephedrone);

354 (38) 3,4-methylenedioxypyrovalerone (MDPV);

355 (39) 2-(2,5-dimethoxy-4-ethylphenyl)ethanamine (2C-E);

356 (40) 2-(2,5-dimethoxy-4-methylphenyl)ethanamine (2C-D);

357 (41) 2-(4-chloro-2,5-dimethoxyphenyl)ethanamine (2C-C);

358 (42) 2-(4-iodo-2,5-dimethoxyphenyl)ethanamine (2C-I);

359 or 2,5-dimethoxy-4-iodophenethylamine;

360 (43) 2-[4-(ethylthio)-2,5-dimethoxyphenyl]ethanamine  
361 (2C-T-2);

362 (44)

363 2-[4-(isopropylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-4);

364 (45) 2-(2,5-dimethoxyphenyl)ethanamine (2C-H);

365 (46) 2-(2,5-dimethoxy-4-nitro-phenyl)ethanamine (2C-N);



366 (47) 2-(2,5-dimethoxy-4-(n)-propylphenyl)ethanamine  
367 (2C-P);  
368 (48) 3,4-methylenedioxy-N-methylcathinone (methydone);  
369 (49)  
370 2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine  
371 (25B-NBOMe; 2C-B-NBOMe; 25B; Cimbi-36);  
372 (50)  
373 2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine  
374 (25C-NBOMe; 2C-C-NBOMe; 25C; Cimbi-82);  
375 (51)  
376 2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine or  
377 N-[(2-methoxyphenyl)methyl]ethanamine (25I-NBOMe; 2C-I-NBOMe; 25I;  
378 Cimbi-5);  
379 (52) 7-bromo-5-(2-chlorophenyl)-1,3-dihydro-2H-1,  
380 4-benzodiazepin-2-one (also known as Phenazepam);  
381 (53) 7-(2-chlorophenyl)-4-ethyl-13-methyl-3-thia-1,8,  
382 11,12-tetraazatricyclo[8.3.0.0]trideca-2(6),4,7,10,12-pentaene  
383 (also known as Etizolam);  
384 (54) Salvia divinorum;  
385 (55) Synthetic cannabinoids. Unless specifically  
386 excepted or unless listed in another schedule, any material,  
387 compound, mixture, or preparation which contains any quantity of a  
388 synthetic cannabinoid found in any of the following chemical  
389 groups, whether or not substituted to any extent, or any of those  
390 groups which contain any synthetic cannabinoid salts, isomers, or





salts of isomers, whenever the existence of such salts, isomers, or salts of isomers is possible within the specific chemical designation, including all synthetic cannabinoid chemical analogues in such groups:

(A) (6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol (also known as HU-210 or 1,1-dimethylheptyl-11-hydroxy-delta8-tetrahydrocannabinol);

(B) Naphthoylindoles and naphthylmethylinindoles, being any compound structurally derived from 3-(1-naphthoyl)indole or 1H-indol-3-yl-(1-naphthyl)methane, whether or not substituted in the indole ring to any extent, or in the naphthyl ring to any extent;

(C) Naphthoylpyrroles, being any compound structurally derived from 3-(1-naphthoyl)pyrrole, whether or not substituted in the pyrrole ring to any extent, or in the naphthyl ring to any extent;

(D) Naphthylmethylinindenes, being any compound structurally derived from 1-(1-naphthylmethyl)indene, whether or not substituted in the indene ring to any extent or in the naphthyl ring to any extent;

(E) Phenylacetylindoles, being any compound structurally derived from 3-phenylacetylindole, whether or not substituted in the indole ring to any extent or in the phenyl ring to any extent;



416 (F) Cyclohexylphenols, being any compound  
417 structurally derived from 2-(3-hydroxycyclohexyl)phenol, whether  
418 or not substituted in the cyclohexyl ring to any extent or in the  
419 phenolic ring to any extent;

420 (G) Benzoylindoles, whether or not substituted in  
421 the indole ring to any extent or in the phenyl ring to any extent;

422 (H) Adamantoylindoles, whether or not substituted  
423 in the indole ring to any extent or in the adamantoyl ring system  
424 to any extent;

425 (I) Tetrahydro derivatives of cannabinal and  
426 3-alkyl homologues of cannabinal or of its tetrahydro derivatives,  
427 except where contained in cannabis or cannabis resin;

428 (J) 3-Cyclopropylmethanone indole or  
429 3-Cyclobutylmethanone indole or 3-Cyclopentylmethanone indole by  
430 substitution at the nitrogen atom of the indole ring, whether or  
431 not further substituted in the indole ring to any extent, whether  
432 or not substituted on the cyclopropyl, cyclobutyl or cyclopentyl  
433 rings to any extent;

434 (K) Quinoliny ester indoles, being any compound  
435 structurally derived from 1H-indole-3carboxylic acid-8-quinoliny  
436 ester, whether or not substituted in the indole ring to any extent  
437 or the quinolone ring to any extent;

438 (L) 3-carboxamide-1H-indazoles, whether or not  
439 substituted in the indazole ring to any extent and substituted to  
440 any degree on the carboxamide nitrogen and



441 3-carboxamide-1H-indoles, whether or not substituted in the indole  
442 ring to any extent and substituted to any degree on the  
443 carboxamide nitrogen;

444 (M) Cycloalkanemethanone Indoles, whether or not  
445 substituted at the nitrogen atom on the indole ring, whether or  
446 not further substituted in the indole ring to any extent, whether  
447 or not substituted on the cycloalkane ring to any extent;

448 (56) Naphthalen-1-yl  
449 1-(5-fluoropentyl)-1H-indole-3-carboxylate, also known as NM2201  
450 or CBL2201;

451 (57) 1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1H-  
452 pyrrolo[2,3-b]pyridine-3-carboxamide, also known as  
453 5F-CUMYL-P7AICA or SGT-25;

454 (58) Methyl  
455 2-(1-(4-fluorobutyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutano  
456 ate, also known as 4F-MDMB-BINACA or 4F-MDMB-BUTINACA);

457 (59) 1-(4-methoxyphenyl)-N-methylpropan-2-amine, also  
458 known as para-methoxymethamphetamine or PMMA;

459 (60) Ethyl 2-(1-(5-fluoropentyl)  
460 -1H-indazole-3-carboxamido)-3,3-dimethylbutanoate, also known as  
461 5F-EDMB-PINACA;

462 (61) Methyl  
463 2-(1-(5-fluoropentyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoa  
464 te, also known as 5F-MDMB-PICA or 5F-MDMB-2201;



465 (62)  
466 N-(adamantan-1-yl)-1-(4-fluorobenzyl)-1H-indazole-3-carboxamide,  
467 also known as FUB-AKB48 or FUB-APINACA or AKB48  
468 N-(4-fluorobenzyl);  
469 (63)  
470 (1-(4-fluorobenzyl)-1H-indol-3-yl)(2,2,3,3-tetramethylcyclopropyl)  
471 methanone, also known as FUB-144;  
472 (64) N-ethylhexedrone, also known as  
473  $\alpha$ -ethylaminohexanophenone or 2-(ethylamino)-1-phenylhexan-1-one;  
474 (65) Alpha-pyrrolidinohexanophenone, also known as  
475  $\alpha$ -PHP or  $\alpha$ -pyrrolidinohexanophenone or  
476 1-phenyl-2-(pyrrolidin-1-yl)hexan-1-one);  
477 (66) 4-methyl-alpha-ethylaminopentiophenone, also known  
478 as 4-MEAP or 2-(ethylamino)-1-(4-methylphenyl)pentan-1-one);  
479 (67) 4'-methyl-alpha-pyrrolidinohexiophenone, also  
480 known as MPHP or 4'-methyl-alpha-pyrrolidinohexanophenone or  
481 1-(4-methylphenyl)-2-(pyrrolidin-1-yl)hexan-1-one);  
482 (68) Alpha-pyrrolidinoheptaphenone (also known as PV8;  
483 1-phenyl-2-(pyrrolidin-1-yl)heptan-1-one);  
484 (69) 4'-chloro-alpha-pyrrolidinovalerophenone, also  
485 known as 4-chloro- $\alpha$ -PVP or 4'-chloro- $\alpha$ -pyrrolidinopentiophenone or  
486 1-(4-chlorophenyl)-2-(pyrrolidin-1-yl)pentan-1-one);  
487 (70)  
488 2-(ethylamino)-2-(3-methoxyphenyl)cyclohexan-1-one, also known as  
489 methoxetamine or MXE;



490 (71) Zipeprol  
491 (1-methoxy-3-[4-(2-methoxy-2-phenylethyl)piperazin-1-yl]-1-phenylp  
492 ropan-2-ol); \* \* \*

493 (72) Eutylone  
494 (1-(1,3-benzodioxol-5-yl)-2-(ethylamino)butan-1-one) \* \* \*; and

495 (73) ADB-BUTINACA  
496 N-1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-butyl-1H-indazole-3-carb  
497 oxamide.

498 (e) **Depressants.** Unless specifically excepted or unless  
499 listed in another schedule, any material, compound, mixture, or  
500 preparation which contains any quantity of the following  
501 substances having a depressant effect on the central nervous  
502 system, including their salts, isomers, and salts of isomers,  
503 whenever the existence of such salts, isomers, and salts of  
504 isomers is possible within the specific chemical designation:

505 (1) Clonazepam,  
506 6-(2-chlorophenyl)-1-methyl-8-nitro-4H-[1,2,4]triazolo[4,3-a][1,4]  
507 benzodiazepine;

508 (2) Flualprazolam,  
509 8-chloro-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-a][1,4  
510 ]benzodiazepine;

511 (3) Flubromazepam,  
512 7-bromo-5-(2-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one;

513 (4) Flubromazolam,



514 8-bromo-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-a][1,4]  
515 benzodiazepin;

516 (5) Gamma-hydroxybutyric acid (other names include:  
517 GHB, gamma-hydroxybutyrate; 4-hydroxybutyrate; 4-hydroxybutanoic  
518 acid; sodium oxybate; sodium oxybutyrate);

519 (6) Mecloqualone;

520 (7) Methaqualone.

521 (f) **Stimulants.** Any material, compound, mixture or  
522 preparation which contains any quantity of the following central  
523 nervous system stimulants including optical salts, isomers and  
524 salts of isomers unless specifically excepted or unless listed in  
525 another schedule:

526 (1) Aminorex;

527 (2) Amineptine

528 (7-[(10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5-yl)amino]heptanoic  
529 acid);

530 (3) N-benzylpiperazine (also known as BZP and  
531 1-benzylpiperazine);

532 (4) Cathinone;

533 (5) 4,4'-Dimethylaminorex, also known as 4,4'-DMAR or  
534 4,5-dihydro-4-methyl-5-(4-methylphenyl)-2-oxazolamine;  
535 4-methyl-5-(4-methylphenyl)-4,5-dihydro-1,3-oxazol-2-amine);

536 (6) Fenethylamine;

537 (7) Mesocarb



538 (N-phenyl-N' - (3-(1-phenylpropan-2-yl)-1,2,3-oxadiazol-3-  
539 ium-5-yl)carbamimidate);

540 (8) Methcathinone;

541 (9) Methiopropamine

542 (N-methyl-1-(thiophen-2-yl)propan-2-amine));

543 (10) 4-methylaminorex (also known as

544 2-amino-4-methyl-5-phenyl-2-oxazoline);

545 (11) N-ethylamphetamine;

546 (12) Any material, compound, mixture or preparation

547 which contains any quantity of N,N-dimethylamphetamine. (Other

548 names include: N,N,-alpha-trimethyl-benzeneethanamine and

549 N,N-alpha-trimethylphenethylamine);

550 (13) Synthetic cathinones. (A) Unless listed in

551 another schedule, any compound other than bupropion that is

552 structurally derived from 2-Amino-1-phenyl-1-propanone by

553 modification in any of the following ways:

554 (i) By substitution in the phenyl ring to any

555 extent with alkyl, alkoxy, alkylendioxy, haloalkyl or halide

556 substituents, whether or not further substituted in the phenyl

557 ring by one or more other univalent substituents;

558 (ii) By substitution at the 3-position with

559 an alkyl substituent;

560 (iii) By substitution at the nitrogen atom

561 with alkyl or dialkyl groups, or by inclusion of the nitrogen atom

562 in a cyclic structure.



563 (B) The compounds covered in this paragraph (10)  
564 include, but are not limited to, any material, compound, mixture  
565 or preparation which contains any quantity of a synthetic  
566 cathinone found in any of the following compounds, whether or not  
567 substituted to any extent, or any of these compounds which contain  
568 any synthetic cathinone, or salts, isomers, or salts of isomers,  
569 whenever the existence of such salts, isomers or salts of isomers  
570 is possible, unless specifically excepted or listed in another  
571 schedule:

- 572 (i) 4-methyl-N-ethylcathinone ("4-MEC");  
573 (ii) 4-methyl-alpha-pyrrolidinopropiophenone  
574 ("4-MePPP");  
575 (iii) Alpha-pyrrolidinopentiophenone  
576 ("α-PVP");  
577 (iv) 1-(1,3-benzodioxol-5-yl)-2-  
578 (methylamino)butan-1-one ("butylone");  
579 (v) 2-(methylamino)-1-phenylpentan-1-one  
580 ("pentedrone");  
581 (vi) 1-(1,3-benzodioxol-5-yl)-2-  
582 (methylamino)pentan-1-one ("pentylone");  
583 (vii) 4-fluoro-N-methylcathinone ("4-FMC");  
584 (viii) 3-fluoro-N-methylcathinone ("3-FMC");  
585 (ix) 1-(naphthalen-2-yl)-2- (pyrrolidin-1-yl)  
586 pentan-1-one ("naphyrone");





587 (x) Alpha-pyrrolidinobutiophenone  
588 ("α-PBP"); \* \* \*  
589 (xi) 1-(1,3-benzodioxol-5-yl)-2-(ethylamino)  
590 -pentan-1-one (N-ethylpentylone, ephylone) \* \* \*;  
591 (14) α-PiHP  
592 4-methyl-1-phenyl-2-pyrrolidin-1-yl)pentan-1-one, also known as  
593 alpha-PiHP; and  
594 (15) 3-MMC  
595 2-methylamino)-1-3-methylphenyl)propan-1-one, also known as  
596 3-methylmethcathinone.  
597 **SECTION 2.** This act shall take effect and be in force from  
598 and after July 1, 2025.

