Pending COMMITTEE AMENDMENT NO 1 PROPOSED TO

Senate Bill No. 2519

BY: Committee

Amend by striking all after the enacting clause and inserting in lieu thereof the following:

18 SECTION 1. (1)The Board of Trustees of State Institutions 19 of Higher Learning, acting on behalf of the University of 20 Mississippi, is authorized to enter into a long-term lease(s) of 21 all or any portion of certain real property under its control and 22 possession. The property described in this section shall be 23 leased for a period not to exceed a term of forty-five (45) years with two (2) additional options for renewal periods not to exceed 24 25 ten (10) years and one (1) additional option for a renewal period 26 not to exceed five (5) years, for the purposes of developing 27 buildings, housing, parking garage facilities, dining halls and/or



- 28 other retail developments, and/or other spaces for the benefit of
- 29 the university. The property to be leased shall be more
- 30 particularly described as follows:
- 31 (a) A parcel of land located in the Southwest Quarter
- 32 of Section 20, Township 8 South, Range 3 West, Lafayette County,
- 33 Mississippi, and containing 5.062 Acres. This property described
- 34 in more detail as follows:

Parcel 1

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

Commencing at a Concrete Monument found recognized as being the Southwest Corner of Section 20, Township 8 South, Range 3 West Lafayette County, Mississippi. Said point being further defined by Mississippi East State Plane Coordinates of N:1770430.34 and E:769644.41,

Thence North 49 Degrees 50 Minutes 56 Seconds East for a distance of 2204.94 feet to a point at the intersection of the back of curb and sidewalk, hereinafter referred as the POINT OF BEGINNING, further defined by Mississippi East State Plane Coordinates of N:1771852.11 and E:771329.75.

Thence run from said POINT OF BEGINNING along the back of curb the following courses and distances 1) North 01

Degrees 31 Minutes 38 Seconds West for a distance of 178.21 feet to a point; 2) Thence North 08 Degrees 44 Minutes 12

Seconds East for a distance of 111.09 feet to a point; 3)

Thence North 14 Degrees 01 Minutes 24 Seconds East for a distance of 53.14 feet to a point; 4) Thence North 08 Degrees



31 Minutes 27 Seconds East for a distance of 113.39 feet to a
point; 5) Thence with a curve turning to the right with an
arc length of 4.60 feet, a radius of 13.37 feet, a chord
bearing of North 18 Degrees 04 Minutes 27 Seconds East, and a
chord length of 4.58 feet to a point; 6) Thence with a curve
turning to the right with an arc length of 8.59 feet, a
radius of 6.81 feet, a chord bearing of North 64 Degrees 07
Minutes 09 Seconds East, and a chord length of 8.03 feet to a
point; 7) Thence South 81 Degrees 19 Minutes 57 Seconds East
for a distance of 15.64 feet to a point; 8) Thence South 81
Degrees 55 Minutes 10 Seconds East for a distance of 31.99
feet to a point; 9) Thence with a curve turning to the left
with an arc length of 38.05 feet, a radius of 162.23 feet, a
chord bearing of South 88 Degrees 38 Minutes 21 Seconds East,
and a chord length of 37.97 feet to a point; 10) Thence North
82 Degrees 53 Minutes 16 Seconds East for a distance of 43.61
feet to a point; 11) Thence with a curve turning to the right
with an arc length of 62.51 feet, a radius of 131.77 feet, a
chord bearing of South 81 Degrees 19 Minutes 58 Seconds East,
and a chord length of 61.93 feet to a point; 12) Thence South
67 Degrees 43 Minutes 57 Seconds East for a distance of 51.33
feet to a Mag Nail/Washer set; Thence leaving said back of
curb South 67 Degrees 43 Minutes 57 Seconds East for a
distance of 247.61 feet to a Mag Nail/Washer set; Thence with
a curve turning to the left with an arc length of 52.04 feet,



a radius of 269.73 feet, a chord bearing of South 77 Degrees
06 Minutes 41 Seconds East , and a chord length of 51.96 feet
to a Mag Nail/Washer set; Thence South 18 Degrees 19 Minutes
36 Seconds West for a distance of 390.67 feet to a point on
the back of sidewalk; Thence along said sidewalk the
following courses and distances 1) with a curve turning to
the left with an arc length of 42.23 feet, a radius of 379.34
feet, a chord bearing of North 68 Degrees 26 Minutes 18
Seconds West, and a chord length of 42.21 feet to a point; 2)
Thence with a compound curve turning to the left with an arc
length of 101.20 feet, a radius of 380.94 feet, a chord
bearing of North 79 Degrees 14 Minutes 18 Seconds West, and a
chord length of 100.91 feet to a point; 3) Thence North 89
Degrees 56 Minutes 46 Seconds West for a distance of 63.52
feet to a point; 4) Thence South 88 Degrees 28 Minutes 04
Seconds West for a distance of 206.62 feet to a point; 5)
Thence North 86 Degrees 53 Minutes 47 Seconds West for a
distance of 6.32 feet to a point; 6) Thence with a curve
turning to the right with an arc length of 14.43 feet, a
radius of 31.55 feet, a chord bearing of North 73 Degrees 50
Minutes 45 Seconds West, and a chord length of 14.30 feet to
a point; 7) Thence with a curve turning to the right with an
arc length of 10.21 feet, a radius of 15.34 feet, a chord
bearing of North 47 Degrees 26 Minutes 24 Seconds West, and a
chord length of 10.02 feet to a point; 8) Thence North 04



103	Degrees 32 Minutes 04 Seconds West for a distance of 8.36
104	feet to the end of back of sidewalk; Thence along end of
105	sidewalk South 86 Degrees 59 Minutes 38 Seconds West for a
106	distance of 7.95 feet back to the POINT OF BEGINNING.

(b) A parcel of land located in the Northwest Quarter of Section 19 and Northeast Quarter of Section 30, Township 8

South, Range 3 West, Lafayette County, Mississippi, and containing 23.234 Acres. This property described in more detail as follows:

Parcel 2

Commencing at a Concrete Monument found recognized as being the Southwest Corner of Section 20, Township 8 South, Range 3 West Lafayette County, Mississippi. Said point being further defined by Mississippi East State Plane Coordinates of N:1770430.34 and E:769644.41,

Thence South 30 Degrees 21 Minutes 22 Seconds East for a distance of 438.64 feet to a Mag Nail/Washer set, hereinafter referred as the POINT OF BEGINNING, further defined by Mississippi East State Plane Coordinates of N:1770051.84 and E:769866.09.

Thence run from said POINT OF BEGINNING North 76 Degrees 31 Minutes 33 Seconds West for a distance of 190.95 feet to a 1/2" Iron Rod set; Thence North 89 Degrees 05 Minutes 34 Seconds West for a distance of 651.45 feet to a 1/2" Iron Rod Set; Thence South 00 Degrees 03 Minutes 36 Seconds East for a distance of 1021.57 feet to a 1/2" Iron Rod set; Thence South



64 Degrees 07 Minutes 41 Seconds East for a distance of
916.21 feet to a point on the western edge of Chucky Mullins
Drive; Thence along said western edge the following courses
and distances 1) North 30 Degrees 12 Minutes 41 Seconds East
for a distance of 68.17 feet to a point; 2) Thence North 25
Degrees 23 Minutes 02 Seconds East for a distance of 139.25
feet to a point; 3) Thence with a curve turning to the right
with an arc length of 119.18 feet, a radius of 687.27 feet, a
chord bearing of North 30 Degrees 14 Minutes 44 Seconds East,
and a chord length of 119.04 feet to a point; 4) Thence North
29 Degrees 00 Minutes 25 Seconds East for a distance of 14.28
feet to a point; 5) Thence North 30 Degrees 26 Minutes 49
Seconds East for a distance of 16.22 feet to a point; Thence
leaving said western edge and along the western back of curb
of West ROW the following courses and distances 1) with a
curve turning to the left with an arc length of 29.92 feet, a
radius of 27.04 feet, a chord bearing of North 06 Degrees 29
Minutes 00 Seconds West, and a chord length of 28.42 feet to
a point; 2) Thence North 44 Degrees 01 Minutes 17 Seconds
West for a distance of 13.98 feet to a point; 3) Thence with
a curve turning to the right with an arc length of 241.92
feet, a radius of 809.56 feet, a chord bearing of North 35
Degrees 51 Minutes 57 Seconds West, and a chord length of
241.02 feet to a point; 4) Thence North 25 Degrees 23 Minutes
55 Seconds West for a distance of 45.97 feet to a point; 5)



153	Thence with a curve turning to the right with an arc length
154	of 426.34 feet, a radius of 696.14 feet, a chord bearing of
155	North 08 Degrees 30 Minutes 52 Seconds West, and a chord
156	length of 419.71 feet to a point; 6) Thence North 11 Degrees
157	01 Minutes 01 Seconds East for a distance of 60.30 feet to a
158	point; 7) Thence North 11 Degrees 34 Minutes 09 Seconds East
159	for a distance of 106.24 feet to a point; 8) Thence North 12
160	Degrees 55 Minutes 21 Seconds East for a distance of 204.22
161	feet back to the POINT OF BEGINNING.

(c) A parcel of land located in the South half of Section 29, Township 8 South, Range 3 West, Lafayette County, Mississippi, and containing 6.760 Acres. This property described in more detail as follows:

Parcel 3

Commencing at a Concrete Monument found recognized as being the Southwest Corner of Section 20, Township 8 South, Range 3 West Lafayette County, Mississippi. Said point being further defined by Mississippi East State Plane Coordinates of N:1770430.34 and E:769644.41,

Thence South 38 Degrees 57 Minutes 56 Seconds East for a distance of 3504.35 feet to a 1/2" Iron Rod set, hereinafter referred as the POINT OF BEGINNING, further defined by Mississippi East State Plane Coordinates of N:1767705.63 and E:771848.13.



Thence run from said POINT OF BEGINNING South 88 Degrees
47 Minutes 26 Seconds East for a distance of 340.49 feet to a
1/2" Iron Rod set; Thence North 70 Degrees 32 Minutes 48
Seconds East for a distance of 75.42 feet to a 1/2" Iron Rod
set; Thence North 89 Degrees 38 Minutes 16 Seconds East for a
distance of 264.27 feet to a point in a linked fence; Thence
along said fence the following courses and distances 1) North
83 Degrees 59 Minutes 01 Seconds East for a distance of
140.62 feet to a point; 2) Thence North 65 Degrees 32 Minutes
45 Seconds East for a distance of 53.84 feet to a point; 3)
Thence South 84 Degrees 54 Minutes 54 Seconds East for a
distance of 100.90 feet to a point; 4) Thence South 86
Degrees 42 Minutes 18 Seconds East for a distance of 108.35
feet to a 1/2" Iron Rod set; Thence leaving said fence South
00 Degrees 22 Minutes 42 Seconds East for a distance of
310.29 feet to a 1/2" Iron Rod set; Thence along the northern
right-of-way of Highway 6 the following courses and distances
1) South 89 Degrees 31 Minutes 15 Seconds West for a distance
of 690.94 feet to a 1/2" Iron Rod set; 2) Thence North 72
Degrees 21 Minutes 02 Seconds West for a distance of 146.20
feet to a 1/2" Iron Rod set; 3) Thence with a curve turning
to the left with an arc length of 311.02 feet, a radius of
5880.29 feet, a chord bearing of North 73 Degrees 51 Minutes
57 Seconds West, and a chord length of 310.99 feet to a $1/2$ "
Iron Rod set; Thence leaving said right-of-way North 20



202	Degrees	19	Minute	s 54	Seconds	East	for	а	distance	of	153.43
203	feet ba	ck t	o the	POINT	r of beg	INNIN	G.				

204 (d) A parcel of land located in the Southwest Quarter
205 of Section 29, Township 8 South, Range 3 West, Lafayette County,
206 Mississippi, and containing 12.355 Acres. This property described
207 in more detail as follows:

Parcel 4

Commencing at a Concrete Monument found recognized as being the Southwest Corner of Section 20, Township 8 South, Range 3 West Lafayette County, Mississippi. Said point being further defined by Mississippi East State Plane Coordinates of N:1770430.34 and E:769644.41,

Thence South 05 Degrees 19 Minutes 35 Seconds East for a distance of 4058.48 feet to a Mag Nail/Washer set, hereinafter referred as the POINT OF BEGINNING, further defined by Mississippi East State Plane Coordinates of N:1766389.38 and E:770021.15.

Thence run from said POINT OF BEGINNING along the southern back of curb of Chucky Mullins Drive the following courses and distances 1) South 70 Degrees 27 Minutes 19

Seconds East for a distance of 61.36 feet to a point; 2)

Thence South 71 Degrees 30 Minutes 37 Seconds East for a distance of 276.80 feet to a point; 3) Thence with a curve turning to the left with an arc length of 49.57 feet, a radius of 90.29 feet, a chord bearing of South 89 Degrees 46



Minutes 25 Seconds East, and a chord length of 48.95 feet to
a point; 4) Thence North 68 Degrees 55 Minutes 15 Seconds
East for a distance of 10.82 feet to a point; 5) Thence with
a curve turning to the right with an arc length of 33.39
feet, a radius of 25.24 feet, a chord bearing of South 82
Degrees 05 Minutes 01 Seconds East, and a chord length of
31.01 feet to a point; 6) Thence South 44 Degrees 11 Minutes
13 Seconds East for a distance of 504.12 feet to a point at
the end of said curb line; Thence along the southern edge of
pavement of said Chucky Mullins Drive the following courses
and distances 1) South 66 Degrees 51 Minutes 32 Seconds East
for a distance of 17.09 feet to a point; 2) Thence with a
curve turning to the right with an arc length of 153.74 feet,
a radius of 409.32 feet, a chord bearing of South 34 Degrees
21 Minutes 52 Seconds East, and a chord length of 152.83 feet
to a point; 3) Thence South 17 Degrees 59 Minutes 07 Seconds
East for a distance of 95.37 feet to a point; 4) Thence South
16 Degrees 04 Minutes 42 Seconds East for a distance of
127.04 feet to a point; 5) Thence South 15 Degrees 02 Minutes
22 Seconds East for a distance of 147.66 feet to a Mag
Nail/Washer set; Thence leaving said edge of pavement and
along the northern line of City of Oxford 60 foot easement
line found in deed book 506 page 266 North 88 Degrees 57
Minutes 39 Seconds West for a distance of 486.73 feet to a
1/2" Iron Rod set; Thence leaving said easement North 01



252	Degrees 02 Minutes 21 Seconds East for a distance of 142.64
253	feet to a 1/2" Iron Rod set; Thence along the northern
254	easement line and extension of City of Oxford easement
255	200905697 North 53 Degrees 42 Minutes 40 Seconds West for a
256	distance of 743.25 feet to a $1/2$ " Iron Rod set; Thence along
257	the western line of said easement 200905697 North 09 Degrees
258	58 Minutes 16 Seconds East for a distance of 296.54 feet to a
259	1/2" Iron Rod set; Thence leaving said easement North 41
260	Degrees 00 Minutes 10 Seconds East for a distance of 99.69
261	feet back to the POINT OF BEGINNING.

(e) A parcel of land located in the North Half of Section 29, Township 8 South, Range 3 West, Lafayette County, Mississippi, and containing 28.067 Acres. This property described in more detail as follows:

Parcel 5

Commencing at a Concrete Monument found recognized as being the Southwest Corner of Section 20, Township 8 South, Range 3 West Lafayette County, Mississippi. Said point being further defined by Mississippi East State Plane Coordinates of N:1770430.34 and E:769644.41,

Thence South 52 Degrees 36 Minutes 39 Seconds East for a distance of 3188.69 feet to a Mag Nail/Washer set, hereinafter referred as the POINT OF BEGINNING, further defined by Mississippi East State Plane Coordinates of N:1768494.09 and E:772177.92.



Thence run from said POINT OF BEGINNING along the
building line The Manning Center the following courses and
distances 1) North 32 Degrees 39 Minutes 42 Seconds East for
a distance of 201.87 feet to a building corner; 2) Thence
South 57 Degrees 01 Minutes 34 Seconds East for a distance of
4.59 feet to a building corner; 3) Thence North 33 Degrees 04
Minutes 14 Seconds East for a distance of 177.73 feet to a
building corner; 4) Thence South 56 Degrees 55 Minutes 46
Seconds East for a distance of 12.07 feet to a point; 5)
Thence North 33 Degrees 03 Minutes 37 Seconds East for a
distance of 157.21 feet to a point; 6) Thence North 56
Degrees 43 Minutes 43 Seconds West for a distance of 48.12
feet to a building corner; 7) Thence North 33 Degrees 14
Minutes 53 Seconds East for a distance of 33.50 feet to a
building corner; 8) Thence North 57 Degrees 09 Minutes 29
Seconds West for a distance of 148.47 feet to a building
corner; 9) Thence South 33 Degrees 20 Minutes 11 Seconds West
for a distance of 5.98 feet to a building corner; 10) Thence
North 56 Degrees 54 Minutes 44 Seconds West for a distance of
43.91 feet to a building corner; 11) Thence South 33 Degrees
11 Minutes 02 Seconds West for a distance of 21.08 feet to a
point on building line; 12) Thence North 56 Degrees 44
Minutes 38 Seconds West for a distance of 67.30 feet to a
building corner; Thence leaving said building line North 38
Degrees 47 Minutes 40 Seconds East along a retaining wall



for a distance of 64.31 feet to a chain link fence; Thence
along said chain link fence the following courses and
distances; 1) North 47 Degrees 29 Minutes 28 Seconds West for
a distance of 28.54 feet to a fence corner; 2) Thence South
84 Degrees 11 Minutes 17 Seconds West for a distance of 33.89
feet to a fence corner; 3) Thence North 13 Degrees 10 Minutes
13 Seconds West for a distance of 13.56 feet to a fence
corner; 4) Thence North 31 Degrees 42 Minutes 33 Seconds East
for a distance of 88.72 feet to the intersection of wall at
parking garage and chain link fence; Thence along said wall
at parking garage the following courses and distances 1)
South 58 Degrees 29 Minutes 42 Seconds East for a distance of
19.16 feet to a point; 2) Thence North 33 Degrees 59 Minutes
13 Seconds East for a distance of 28.16 feet to a point; 3)
Thence North 07 Degrees 08 Minutes 22 Seconds East for a
distance of 112.13 feet to a point; 4) Thence North 21
Degrees 54 Minutes 11 Seconds East for a distance of 75.88
feet to a point; 5) Thence North 36 Degrees 03 Minutes 26
Seconds West for a distance of 33.20 feet to a point; 6)
Thence North 38 Degrees 32 Minutes 07 Seconds East for a
distance of 10.59 feet to a point; 7) Thence North 59 Degrees
45 Minutes 08 Seconds West for a distance of 54.24 feet to a
point on the building line of The Pavilion; Thence leaving
said wall and along said building line of the Pavilion and
the extension of North 31 Degrees 45 Minutes 04 Seconds East



for a distance of 416.02 feet to a point in a concrete seam;
Thence along said seam with a curve turning to the left with
an arc length of 133.91 feet, a radius of 51.77 feet, a chord
bearing of North 83 Degrees 18 Minutes 24 Seconds East, and a
chord length of 99.57 feet to a point; Thence North 02
Degrees 19 Minutes 44 Seconds East for a distance of 123.61
feet to a point on the back of curb of All American Drive;
Thence along said curb the following courses and distances 1)
South 87 Degrees 14 Minutes 34 Seconds East for a distance of
420.77 feet to a point; 2) Thence with a curve turning to the
left with an arc length of 115.91 feet, a radius of 881.43
feet, a chord bearing of North 77 Degrees 32 Minutes 59
Seconds East, and a chord length of 115.82 feet to a point;
Thence with a curve turning to the left with an arc length of
161.41 feet, a radius of 554.32 feet, a chord bearing of
North 65 Degrees 26 Minutes 27 Seconds East, and a chord
length of 160.84 feet to a point; 3) Thence North 55 Degrees
27 Minutes 27 Seconds East for a distance of 77.80 feet to a
point; 4) Thence with a curve turning to the right with an
arc length of 147.52 feet, a radius of 377.20 feet, a chord
bearing of North 74 Degrees 40 Minutes 11 Seconds East, and a
chord length of 146.58 feet to a point; 5) Thence North 88
Degrees 42 Minutes 48 Seconds East for a distance of 121.32
feet to a point; 6) Thence with a curve turning to the left
with an arc length of 103.10 feet, a radius of 144.82 feet, a



chord bearing of North 60 Degrees 33 Minutes 46 Seconds East, and a chord length of 100.94 feet to a point; Thence leaving said curb line South 59 Degrees 03 Minutes 47 Seconds East for a distance of 88.71 feet to a 1/2" Iron Rod set; Thence along the western easement line of the City of Oxford for Gertrude Ford Road the following courses and distances 1) South 30 Degrees 56 Minutes 13 Seconds West for a distance of 323.31 feet to a 1/2" Iron Rod set; 2) Thence with a curve turning to the right with an arc length of 78.82 feet, a radius of 725.00 feet, a chord bearing of South 34 Degrees 03 Minutes 05 Seconds West , and a chord length of 78.78 feet to a 1/2" Iron Rod set; 3) Thence South 37 Degrees 09 Minutes 56 Seconds West for a distance of 70.94 feet to a 1/2" Iron Rod set; 4) Thence with a curve turning to the left with an arc length of 377.18 feet, a radius of 725.00 feet, a chord bearing of South 22 Degrees 15 Minutes 42 Seconds West, and a chord length of 372.94 feet to a 1/2" Iron Rod set; 5) Thence South 07 Degrees 21 Minutes 27 Seconds West for a distance of 119.54 feet to a Mag Nail/Washer set; Thence leaving said easement and along the northern back of curb of Manning Way the following courses and distances 1) with a curve turning to the right with an arc length of 47.32 feet, a radius of 36.33 feet, a chord bearing of South 51 Degrees 00 Minutes 05 Seconds West, and a chord length of 44.04 feet to a point; 2) Thence South 89 Degrees 32 Minutes 55 Seconds West for a



352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

distance of 27.27 feet to a point; 3) Thence with a curve
turning to the left with an arc length of 127.47 feet, a
radius of 189.21 feet, a chord bearing of South 67 Degrees 28
Minutes 15 Seconds West, and a chord length of 125.07 feet to
a point; 4) Thence with a curve turning to the left with an
arc length of 103.40 feet, a radius of 2934.39 feet, a chord
bearing of South 45 Degrees 15 Minutes 56 Seconds West, and a
chord length of 103.40 feet to a point; 5) Thence with a curve
turning to the right with an arc length of 226.27 feet, a
radius of 2919.72 feet, a chord bearing of South 46 Degrees
28 Minutes 34 Seconds West, and a chord length of 226.21 feet
to a point; 6) Thence South 49 Degrees 01 Minutes 20 Seconds
West for a distance of 81.71 feet to a point; 7) Thence South
49 Degrees 19 Minutes 48 Seconds West for a distance of
639.16 feet to a point; 8) Thence with a curve turning to the
right with an arc length of 232.37 feet, a radius of 211.18
feet, a chord bearing of South 79 Degrees 41 Minutes 13
Seconds West, and a chord length of 220.82 feet back to the
POINT OF BEGINNING.

(2) The lease(s) and any amendments to the lease(s) of all or any portion of the real property authorized for lease(s) under subsection (1) of this section shall be subject to the approval of the Board of Trustees of State Institutions of Higher Learning.

The approved lease(s) and any amendments to the lease(s) shall not



- 401 be cancelled by successor boards based on the binding successor 402 doctrine.
- SECTION 2. (1) The Board of Trustees of State Institutions
- 404 of Higher Learning, acting on behalf of the University of
- 405 Mississippi, is authorized to enter into a long-term sublease(s)
- 406 of all or any portion of the real property described in Section 1
- 407 of this act which is under its control and possession for a period
- 408 not to exceed a term of forty-five (45) years with two (2)
- 409 additional options for renewal periods not to exceed ten (10)
- 410 years and one (1) additional option for a renewal period not to
- 411 exceed five (5) years.
- 412 (2) The sublease(s) and any amendments to the sublease(s) of
- 413 all or any portion of the real property described in Section 1 of
- 414 this act shall be subject to the approval of the Board of Trustees
- 415 of State Institutions of Higher Learning. The approved
- 416 sublease(s) and any amendments to the sublease(s) shall not be
- 417 cancelled by successor boards based on the binding successor
- 418 doctrine.
- 419 **SECTION 3.** If all or any portion of the property described
- 420 in Section 1 of this act is leased, the University of Mississippi,
- 421 with the approval of the Board of Trustees of State Institutions
- 422 of Higher Learning, is authorized to negotiate all aspects of any
- 423 lease(s) or sublease(s) and any terms and ancillary agreements
- 424 pertaining to any lease(s) or sublease(s) as may be reasonably



- 425 necessary to effectuate the intent and purposes of this section
- 426 and to ensure a fair and equitable return to the state.
- 427 **SECTION 4.** (1) All proceeds derived or received from the
- 428 agreements and lease(s) entered into under Sections 1 and 2 of
- 429 this act shall be deposited into a special fund and expended only
- 430 for the use and benefit of the University of Mississippi.
- 431 (2) At the end of the lease term provided in this act, the
- 432 property leased under the authority provided herein and all
- 433 improvements to such property shall revert to the University of
- 434 Mississippi.
- 435 (3) The State of Mississippi shall retain all mineral rights
- 436 to the real property leased under Section 1 of this act.
- 437 (4) The Department of Finance and Administration is
- 438 authorized to correct any discrepancies in the property described
- 439 in Section 1 of this act.
- 440 **SECTION 5.** This act shall take effect and be in force from
- 441 and after its passage.

Further, amend by striking the title in its entirety and inserting in lieu thereof the following:

AN ACT TO AUTHORIZE THE BOARD OF TRUSTEES OF STATE

2 INSTITUTIONS OF HIGHER LEARNING, ACTING ON BEHALF OF THE

- 3 UNIVERSITY OF MISSISSIPPI TO ENTER INTO A LONG-TERM LEASE(S) OF
- 4 ALL OR ANY PORTION OF REAL PROPERTY UNDER ITS CONTROL AND
- 5 POSSESSION FOR THE PURPOSE OF DEVELOPING ACADEMIC BUILDINGS,
- 6 HOUSING, DINING HALLS, PARKING FACILITIES, AND/OR OTHER SPACES,
- 7 INCLUDING RETAIL DEVELOPMENTS, FOR THE BENEFIT OF THE UNIVERSITY;
- 8 TO PROVIDE THAT ANY SUCH PROPERTY SHALL BE LEASED FOR A PERIOD NOT
- 9 TO EXCEED 45 YEARS; TO SET CERTAIN OTHER LEASE TERMS AND TO
- 10 REQUIRE ANY LEASE TO BE SUBJECT TO THE APPROVAL OF IHL; TO



- 11 AUTHORIZE THE UNIVERSITY OF MISSISSIPPI TO NEGOTIATE ALL ASPECTS
- 12 OF ANY LEASE WITH THE APPROVAL OF IHL; TO PROVIDE THAT ALL
- 13 PROCEEDS DERIVED FROM ANY SUCH LEASE(S) SHALL BE DEPOSITED INTO A
- 14 SPECIAL FUND ONLY FOR THE USE OF THE UNIVERSITY; TO REQUIRE ANY
- 15 PROPERTY LEASED UNDER THIS ACT TO REVERT BACK TO THE UNIVERSITY AT
- 16 THE END OF THE LEASE(S); AND FOR RELATED PURPOSES.