MISSISSIPPI LEGISLATURE

REGULAR SESSION 2025

By: Representative Powell

To: Public Utilities

COMMITTEE SUBSTITUTE FOR HOUSE BILL NO. 1191

1 AN ACT TO AMEND SECTION 77-13-3, MISSISSIPPI CODE OF 1972, TO 2 REVISE CERTAIN DEFINITIONS AND DEFINE ADDITIONAL TERMS USED IN 3 THOSE STATUTES REGULATING EXCAVATIONS NEAR UNDERGROUND UTILITIES; 4 TO AMEND SECTION 77-13-5, MISSISSIPPI CODE OF 1972, TO REVISE THE 5 NOTICE REQUIREMENTS FOR EXCAVATORS BEFORE BEGINNING AN EXCAVATION 6 AND TO ESTABLISH SPECIFIC NOTICE REQUIREMENTS FOR SUBMERGED 7 EXCAVATIONS; TO AMEND SECTION 77-13-9, MISSISSIPPI CODE OF 1972, TO ESTABLISH DIFFERENT TIMEFRAMES THAT VARY ACCORDING TO THE TYPE 8 OF EXCAVATION FOR UTILITY OPERATORS TO LOCATE AND MARK UNDERGROUND 9 10 LINES AND FACILITIES AND SUBMERGED FACILITIES AFTER RECEIVING NOTICE OF AN EXCAVATION; TO AMEND SECTION 77-13-11, MISSISSIPPI 11 12 CODE OF 1972, TO REQUIRE AN EXCAVATOR MAKING AN EMERGENCY 13 EXCAVATION TO PROVIDE THE CONTACT INFORMATION OF THE PERSON AT THE SITE WHO IS AVAILABLE TO DISCUSS THE EXCAVATION WITH OPERATORS; TO 14 CREATE NEW SECTION 77-13-12, MISSISSIPPI CODE OF 1972, TO 15 16 AUTHORIZE AN EXCAVATOR THAT IS PLANNING A LARGE PROJECT TO REQUEST 17 A PRECONSTRUCTION MEETING WITH OPERATORS AND OTHER INTERESTED 18 PARTIES; TO AUTHORIZE PARTIES PARTICIPATING IN THE MEETING TO 19 EXECUTE AN AGREEMENT ESTABLISHING TERMS AND TIMEFRAMES FOR THE PROJECT; TO AMEND SECTION 77-13-17, MISSISSIPPI CODE OF 1972, IN 20 CONFORMITY TO THE PROVISIONS OF THIS ACT; AND FOR RELATED 21 22 PURPOSES.

23 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF MISSISSIPPI:

24 SECTION 1. Section 77-13-3, Mississippi Code of 1972, is

25 amended as follows:

26 77-13-3. The words defined in this section shall have the

27 following meanings when found in this chapter:

H. B. No. 1191	~ OFFICIAL ~	G1/2
25/HR26/R1934CS		
PAGE 1 (RKM\KW)		

(a) "Abandoned facility" means any underground utility
line or underground utility facilities no longer used in the
conduct of the owner/operator's business and are not intended to
be used in the future.

32 (b) "Approximate location of underground utility lines 33 or underground facilities" means information about an operator's 34 underground utility lines or underground facilities which is 35 provided to a person by an operator and must be accurate within 36 eighteen (18) inches measured horizontally from the outside edge 37 of each side of such operator's facility, or a strip of land 38 eighteen (18) inches either side of the operator's field mark, or 39 the marked width of the facility or line plus eighteen (18) inches 40 on each side of the marked width of the facility or line. "Approximate location of submerged facilities" means information 41 about an operator's submerged facilities which is provided to a 42 43 person by an operator and must be accurate within fifteen (15) 44 feet of the submerged facility marks. "Board" means the Underground Facilities Damage 45 (C) 46 Prevention Board, created by Section 77-13-29. 47 "Calendar day" means a twenty-four-hour period. (d)

48 (e) "Commission" means the Mississippi Public Service49 Commission.

(f) "Damage" means the substantial weakening of
structural or lateral support of underground utility lines \* \* \*,
underground facilities or submerged facilities, penetration or

H. B. No. 1191 **~ OFFICIAL ~** 25/HR26/R1934CS PAGE 2 (RKM\KW) destruction of any protective coating, housing or other protective devices of an underground utility line \* \* \*, underground facility <u>or submerged facility</u>, and the partial or complete severance of any underground utility line \* \* \*, underground facility <u>or</u> <u>submerged facility</u>, but does not include any operator's abandoned facility.

(g) "Design Information Request" means a notification made to Mississippi 811, Incorporated, by a person providing professional services and making a request in preparation for bidding, preconstruction engineering, or other advance planning efforts that do not involve excavation. A design information services request may not be used for excavation purposes.

(h) "Emergency excavation" means excavation at times of
 emergency involving imminent danger to life, health or property or
 a customer service outage.

68 (i) "Excavate or excavation" means any operation in 69 which earth, rock or other material or mass of material on or 70 below the ground or submerged is moved or otherwise displaced by 71 any means, except: (i) the tilling of the soil less than 72 twenty-four (24) inches in depth for agricultural purposes; or 73 (ii) an operation in which earth, rock or other material or mass 74 of material on or below the ground is moved or otherwise displaced 75 to a depth of less than twelve (12) inches on private property by 76 the property owner without the use of mechanical excavating 77 equipment; or (iii) an operation in which earth, rock or other

78 material or mass of material on or below the ground is moved or 79 otherwise displaced without the use of mechanical excavating equipment to a depth of less than twelve (12) inches on private 80 property by an excavator who is not the property owner, except 81 82 when such excavation is in a clearly marked underground facility 83 right-of-way; or (iv) routine railroad maintenance activities conducted within the track structure, drainage ditches, or within 84 85 the railroad right-of-way, a distance not to exceed thirty (30) 86 feet from the outside rail of the outermost track or tracks, 87 provided this work is performed by railroad employees or railroad contractors and is carried out with reasonable care so as to 88 89 protect any underground facilities properly installed in the 90 railroad right-of-way by agreement with the railroad; or (v) routine activities of a cemetery, provided that for any cemetery 91 that begins or expands after July 1, 2015, such activities occur 92 93 only after initial notice is provided to Mississippi 811, 94 Incorporated, and all affected operators have advised that there are no underground facilities within the boundaries of the subject 95 96 cemetery; or (vi) routine maintenance activities carried out by or 97 for those responsible for publicly maintained roadways and 98 rights-of-way, provided that the activities occur entirely within 99 the public right-of-way and do not penetrate the earth to a depth of more than twelve (12) inches and are carried out with 100 101 reasonable care so as to protect any underground facilities placed in the right-of-way. Routine maintenance activities shall be more 102

PAGE 4 (RKM\KW)

103 specifically described in the rules and regulations adopted by the 104 board; or (vii) the driving of wooden stakes by use of hand tools 105 which do not penetrate the earth to a depth of not more than six 106 (6) inches. The term "excavate" shall include, but not be limited 107 to, the operations of demolition, blasting, grading, land 108 leveling, trenching, digging, ditching, drilling, augering, directional boring, tunneling, scraping, cable or pipe plowing, 109 110 driving, jacking, wrecking, razing, rending, dredging and 111 anchoring, moving or removing any structure or other material or 112 mass of material on or below the ground.

113 (j) "Excavator" means any person who engages directly 114 in excavation.

"Mark" means the use of stakes, paint or other 115 (k) clearly identifiable materials to show the field location of 116 underground facilities in accordance with the current color code 117 118 standard of the American Public Works Association, or the 119 uncovering or exposing of underground facilities so that the excavator may readily see the location of same, or the pointing 120 121 out to the excavator of certain aboveground facilities such as, 122 but not limited to, manhole covers, valve boxes and pipe and cable 123 risers, which indicate the location of underground facilities; 124 submerged facilities may be marked also by electronic methods or 125 GPS coordinates.

(1) "Mechanical excavating equipment" means allequipment powered by any motor, engine, or hydraulic or pneumatic

H. B. No. 1191 **~ OFFICIAL ~** 25/HR26/R1934CS PAGE 5 (RKM\KW) device used for excavating and shall include, but not be limited to, trenchers, bulldozers, backhoes, power shovels, scrapers, draglines, clam shells, <u>dredging equipment</u>, augers, drills, cable and pipe plows and other plowing-in or pulling-in equipment.

(m) "Mississippi 811, Incorporated," means a nonprofit corporation organized under the laws of the State of Mississippi that provides a service through which a person shall notify the operator(s) of underground facilities of plans to excavate and request marking of facilities.

(n) "Mississippi One-Call System, Incorporated," means
"Mississippi 811, Incorporated." Whenever the term "Mississippi
One-Call System, Incorporated," appears in this chapter, the term
shall mean "Mississippi 811, Incorporated."

(o) "Operator" means any person who owns or operates a
utility. However, the term "operator" shall not include any
railroad or the Mississippi Department of Transportation.

(p) "Person" means any individual, firm, partnership, association, trustee, receiver, assignee, corporation, entity, limited liability company, utility, joint venture, municipality, state governmental unit, subdivision or instrumentality of the state, or any legal representative thereof.

149 (q) "Pipeline Safety Division" means the Pipeline150 Safety Division of the Public Service Commission.

151 (r) "Positive Response Information System" or "PRIS"
152 means an automated information system operated and maintained by

H. B. No. 1191 ~ OFFICIAL ~ 25/HR26/R1934CS PAGE 6 (RKM\KW) 153 Mississippi 811, Incorporated, that allows excavators, locators, 154 facility owners or operators, and other affected parties to enter 155 and/or determine the status of a locate request.

(s) "Underground facility" means any underground utility lines and other items which shall be buried \* \* \*, placed below ground or submerged for use in connection with underground utility lines and including, but not be limited to, pipes, sewers, conduits, cables, valves, lines, wires, manholes, vaults, attachments and those portions of poles below the ground.

(t) "Underground utility lines" means
underground \* \* \*, buried <u>or submerged</u> cable, conduit pipes and
related facilities for transportation and delivery of electricity,
telecommunications (including fiber optics), water, sewage, gas,
mixtures of gases, petroleum, petroleum products or hazardous,
flammable, toxic or corrosive liquids.

(u) "Utility" means any person who supplies,
distributes or transports by means of underground utility lines or
underground facilities any of the following materials or services:
gas, mixture of gases, petroleum, petroleum products or hazardous,
toxic, flammable or corrosive liquids, electricity,
telecommunications (including fiber optics), sewage, drainage,

174 water, steam or other substances.

(v) "Working day" means a twenty-four-hour period commencing from the time the locate request <u>ticket</u> is processed or entered into the \* \* Mississippi 811, \* \* \* Inc., system in

178 accordance with this chapter, excluding Saturdays, Sundays and 179 legal holidays.

(w) "Impending Emergency" means circumstances
potentially dangerous to life, health, property, or loss of
customer services, which would likely develop into an emergency,
as defined in Section 77-13-11, if excavation is not initiated
sooner than the normal notification requirements allow.

185 (x) "Locate request ticket" means an electronic 186 document generated by <u>the Mississippi 811</u>, Inc., <u>system</u>, which 187 includes the information described in Section \* \* \* 77-13-5(1)(a).

(y) "Trenchless excavation" means horizontal excavation parallel to the surface of the earth, which does not use trenching or vertical digging as the primary means of excavation, including, but not limited to, directional boring, tunneling, or augering.

192 <u>(z) "Electronic pre-marking" means a process in which</u> 193 <u>the excavator submits a locate request ticket through the Web</u> 194 <u>Portal and simultaneously pre-marks the approximate boundary of</u> 195 <u>the proposed excavation area in the Mississippi 811 Web Portal map</u> 196 <u>by drawing lines, points or polygon geometries, providing a clear</u>

197 visual of the proposed excavation or demolition area.

198 <u>(aa) "Large project excavation" means an excavation</u> 199 project that an excavator determines cannot be reasonably 200 <u>completed within twenty (20) calendar days from the time the</u> 201 <u>locate request ticket is processed in the Mississippi 811, Inc.,</u> 202 <u>system, or for submerged excavation, thirty (30) calendar days</u>

203	from the time the locate request ticket is processed in the
204	Mississippi 811, Inc., system, due to its large area or
205	complexity.
206	(bb) "Marine exclusion zone" means a strip measured
207	seventy-five (75) feet from the outside edge of both sides of the
208	submerged facility marks on a horizontal plane.
209	(cc) "Preconstruction meeting" means an in-person,
210	video or telephonic meeting held among a large project excavator,
211	its contractors, all operators with underground lines, underground
212	facilities or submerged facilities in the area of a large project
213	excavation, and the operators' locators to discuss the large
214	project excavation and facilitate the exchange of maps, plans,
215	excavation and locating schedules, contact information, and other
216	information related to the large project excavation.
217	(dd) "Preconstruction meeting ticket" means an
218	electronic document generated by the Mississippi 811, Inc., system
219	and transmitted to operators with underground utility lines,
220	underground facilities or submerged facilities in the area of the
221	large project excavation, for the purposes of facilitating a
222	preconstruction meeting in advance of a large project excavation.
223	(ee) "Submerged excavation" means excavation that
224	occurs under a body of water, including rivers, lakes, waterways,
225	bays, the sea, and arms of the sea.
226	(ff) "Submerged facility" means an underground facility
227	or underground utility line that normally is submerged under a

H. B. No. 1191	~ OFFICIAL ~
25/HR26/R1934CS	
PAGE 9 (rkm\kw)	

228 body of water, including rivers, lakes, waterways, bays, the sea,

229 and arms of the sea.

230 (gg) "Tolerance zone" means a strip of land measured

231 eighteen (18) inches, plus one-half of the diameter of the

232 underground facility or underground utility if the diameter is

233 indicated at the marks, from the outside edge of both sides of the

234 <u>marks on a horizontal plane.</u>

235 (hh) "Web portal" means an online platform operated and 236 maintained by Mississippi 811, Inc., which allows excavators to 237 electronically submit and track locate request tickets and allows

238 facility owners or operators to submit information to the positive

239 response information system.

240 SECTION 2. Section 77-13-5, Mississippi Code of 1972, is
241 amended as follows:

242 77-13-5. (1) \* \* \* Except <u>for emergency excavation</u> as 243 provided in Section 77-13-11, <u>impending emergency excavation as</u> 244 <u>provided in paragraph (c) of this subsection, and submerged</u> 245 <u>excavation as provided in subsection (8) of this section,</u> before 246 beginning any excavation, \* \* \* the excavator shall:

247 <u>(a)</u> Provide not less than three (3) and not more than 248 ten (10) working days' advance written, electronic or telephonic 249 notice of the commencement, extent, location and duration of the 250 excavation work to Mississippi 811, Incorporated, so that **\* \*** <u>a</u> 251 locate request ticket may be processed, notifying

252 operator(s) **\* \* \*** to locate and mark the location of underground

253 utility lines and underground facilities in the excavation area. 254 The advance written, electronic or telephonic notice required by 255 this subsection shall not be required where a qualified operator 256 using reasonable care so as to protect himself and any underground 257 facility that may be in the area, uses a hand-powered probe rod to 258 locate that operator's underground facilities for the purpose of 259 underground facility mapping.

260 The written, electronic or telephonic notice required by this 261 paragraph \* \* \* (a) shall contain the name, address and telephone 262 number of the person filing the notice of intent, the person 263 responsible for the excavation, the starting date, anticipated 264 duration, type of excavation to be conducted, the location of the 265 proposed excavation, which is limited to an area the excavator 266 reasonably believes may be completed within **\* \* \*** twenty (20) 267 calendar days from the date and time the locate request ticket is processed \* \* \* in the Mississippi 811, Inc., system and does not 268 269 include any area in which the excavator has already completed the 270 excavation work, and whether or not explosives are to be used.

In addition to all other violations of this chapter, providing advanced written notification required by this paragraph (\*\*\*<u>a</u>) where the proposed excavation location could not reasonably be completed within \*\*\* <u>twenty (20)</u> calendar days from the date and time the locate request ticket is processed \*\*\* <u>in</u> the Mississippi 811, Inc., system or where the proposed excavation location includes any area in which the

~ OFFICIAL ~

H. B. No. 1191 25/HR26/R1934CS PAGE 11 (RKM\KW) 278 excavator has already completed the excavation work shall 279 constitute violations of this chapter.

280 (b) Prior to providing the advance notice to 281 Mississippi 811, Inc., as required by \* \* \* paragraph \* \* \* (a) of 282 this subsection, the excavator shall pre-mark the approximate 283 boundary of the proposed excavation area with white paint, flags \* \* \*, stakes or electronic pre-marking. Where an excavator 284 285 pre-marks the proposed excavation area with a single stake or 286 other single-point indicator, that excavator represents that the 287 proposed excavation area does not exceed fifty (50) feet in any 288 direction from the pre-mark. Pre-marking of the proposed 289 excavation area may not exceed the actual area of excavation. If 290 the pre-marked proposed excavation area is inconsistent with the 291 proposed excavation area described in the locate request ticket, 292 then the proposed excavation area in the locate request ticket 293 shall control. Pre-marking of the proposed excavation area with white paint, flags \* \* \*, stakes <u>or elec</u>tronic pre-marking shall 294 295 not be required \* \* \* for excavation performed on property owned 296 by the excavator where the proposed excavation area can be defined 297 clearly and adequately and described in the locate request ticket.

(\*\*\*<u>c</u>) Provide advance written, electronic or telephonic notice of the commencement, extent, location and duration of the excavation work to Mississippi 811, Incorporated, for excavations required due to an impending emergency, that includes an excavation start time that is not less than twelve

(12) hours from the time of notices provided between 8:00 p.m. and 11:59 a.m., and not sooner than 8:00 a.m., on the next calendar day for notices provided between 12:00 p.m. and 7:59 p.m., so that \* \* \* <u>a locate request ticket may be processed</u>, informing operators \* \* \* <u>to</u> locate and mark the location of underground utility lines and underground facilities in the excavation area.

In addition to the written, electronic or telephonic notice information required in <u>paragraph (a) of this</u> subsection **\* \* \***, the excavator shall also provide contact information for a person readily available to discuss the impending emergency excavation with operators.

314 (2)Except for submerged excavation, the markings provided 315 by operators and the locate request \* \* \* ticket shall only be valid for a period of **\* \* \*** twenty (20) calendar days from the 316 date and time the locate request ticket is processed \* \* \* in the 317 318 Mississippi 811, Incorporated system. The excavator shall 319 preserve all markings until they are no longer required for proper 320 and safe excavation. When a mark is no longer visible but the 321 excavator's work continues in the vicinity of underground 322 facilities, underground lines or submerged facilities, the 323 excavator shall notify Mississippi 811, Inc., of the need for a 324 remark. An excavator shall not make repeated requests for 325 remarking unless necessary due to circumstances not reasonably 326 within the control of the excavator.

H. B. No. 1191 **~ OFFICIAL ~** 25/HR26/R1934CS PAGE 13 (RKM\KW) 327 (3) Except for submerged excavation, the person responsible 328 for the excavation project shall renew the notification with Mississippi 811, Incorporated, at least three (3) and not more 329 330 than four (4) working days prior to this expiration date and shall 331 continue to renew such notification in the same manner throughout 332 the duration of the excavation. Such renewal notice shall be 333 valid for a period of **\* \* \*** twenty (20) calendar days from the 334 date and time the renewal locate request is processed \* \* \* in the 335 Mississippi 811, \* \* \* Inc., system. The proposed excavation 336 location on a renewal locate request ticket shall not include any 337 area in which the excavator has already completed the excavation 338 In addition to all other violations of this chapter, work. 339 renewing a locate request ticket that includes any area within the proposed excavation location in which the excavator has already 340 completed the excavation work shall constitute a violation of this 341 342 chapter.

343 Except when such excavation is in a clearly marked ( \* \* \* 4)underground facility right-of-way, compliance with the notice 344 345 requirements of this section shall not be required of: (a) 346 persons plowing less than twenty-four (24) inches in depth for agricultural purposes; (b) persons who are moving or otherwise 347 348 displacing, by hand, earth, rock or other material or mass of 349 material on or below the ground at a depth of less than twelve 350 (12) inches on property they own; \* \* \* (c) persons, other than the property owner, who are moving or otherwise displacing, by 351

352	hand, earth, rock or other material or mass of material on or
353	below the ground at a depth of less than twelve (12) inches $\star$ $\star$ $\star$ ;
354	and (d) any excavation or demolition that occurs as the result of
355	electric power generation activities, if those activities are
356	confined to the immediate secured property of the facility and the
357	activities are not performed on any operator's marked
358	right-of-way, easement or permitted use.
359	(5) In addition to complying with this act and all other
360	applicable regulations and requirements of federal, state, county
361	and municipal authorities, a person may not engage in excavation
362	of any kind within the tolerance zone unless the excavator
363	satisfies all of the following conditions:
364	(a) Determines the precise location of all marked
365	underground facilities and underground lines in or near the area
366	where the excavation is to be conducted using noninvasive methods
367	of excavation such as hand digging, pot holing, soft digging,
368	vacuum methods, use of pressurized air or water, pneumatic hand
369	tools or other similar procedures;
370	(b) Plans and conducts the excavation to avoid or
371	minimize interference with or damage to underground utility lines
372	and underground facilities in or near the excavation area;
373	(c) Maintains a clearance between an underground
374	utility line or underground facility and the cutting edge or point
375	of any mechanical excavating equipment, taking into account the

H. B. No. 1191	~ OFFICIAL ~	
25/HR26/R1934CS		
PAGE 15 (RKM\KW)		

376 known limit of control of the cutting edge or point, as may be 377 reasonably necessary to avoid damage to the facility; and 378 Provides such support for underground utility lines (d) 379 and underground facilities in and near the excavation area, 380 including during any backfilling operations, as may be reasonably 381 necessary for the protection of the facilities. 382 ( \* \* \*6) A person may make a written, electronic or 383 telephonic design information request to Mississippi 811, 384 Incorporated, so that owners and operators of utilities may locate underground utility lines \* \* \*, underground facilities and 385 386 submerged facilities in the design information area. The design 387 information request shall contain the name, address, and telephone 388 number of the person making the request, the type of project 389 planned, and a description of the area to be located with 390 sufficient particularity to enable the utility owner or operator 391 to ascertain the precise tract or parcel of land involved. 392 ( \* \* \*7) (a) Notwithstanding any other provision of this chapter to the contrary, the procedures and requirements set forth 393 394 in this subsection ( \* \* \*7) shall apply on the site of any 395

395 excavation involving trenchless excavation, including directional 396 boring, where the approximate location of underground utility 397 lines or underground facilities has been marked in compliance with 398 Section 77-13-9.

399 (b) The excavator shall not use power-driven equipment400 for trenchless excavation, including directional boring, across or

H. B. No. 1191 **~ OFFICIAL ~** 25/HR26/R1934CS PAGE 16 (RKM\KW)

within the \* \* \* tolerance zone unless, when reasonably practical, 401 402 the excavator exposes the planned trenchless excavation path by a 403 noninvasive method such as hand digging, pot holing when 404 practical, soft digging, vacuum methods, use of pressurized air or 405 water, or pneumatic hand tools and then carefully and prudently 406 monitors the horizontal and vertical location of the trenchless 407 excavation device in a manner calculated to enable the device to 408 be visually observed by the excavator as it crosses the entire 409 width of the \* \* \* tolerance zone.

(c) For trenchless excavations, including directional boring, parallel to the \* \* \* tolerance zone, the excavator shall, when reasonably practical, use a noninvasive method such as hand digging, pot holing when practical, soft digging, vacuum methods, use of pressurized air or water, or pneumatic hand tools to identify the actual location of the underground utility facility at careful and prudent intervals.

417 (8) (a) Before beginning a submerged excavation, the excavator shall provide not less than seven (7) working days' 418 419 advance written, electronic or telephonic notice of the 420 commencement, extent, location and duration of the submerged 421 excavation work to Mississippi 811, Inc., so that a locate request 422 ticket may be processed notifying operators to locate and mark the 423 location of submerged facilities in the excavation area. The 424 written, electronic or telephonic notice required by this 425 subsection (8) must contain: the name, address and telephone

426 number of the person filing the notice of intent; the person 427 responsible for the excavation; the starting date, anticipated 428 duration and type of excavation to be conducted; the location of 429 the proposed excavation, which is limited to an area the excavator 430 reasonably believes may be completed within thirty (30) calendar 431 days from the date and time the locate request ticket is processed 432 in the Mississippi 811, Inc., system and which may not include any 433 area in which the excavator already has completed the excavation 434 work; and whether or not explosives are to be used. In addition 435 to all other violations of this chapter, providing advance written 436 notification required by this paragraph (a) when the proposed 437 submerged excavation location could not reasonably be completed 438 within thirty (30) calendar days from the date and time the locate 439 request ticket is processed in the Mississippi 811, Inc., system 440 or when the proposed excavation location includes any area in 441 which the excavator already has completed the excavation work 442 constitutes a violation of this chapter. Before providing the 443 advance notice to Mississippi 811, Inc., as required by this 444 paragraph (a), the excavator shall pre-mark the approximate 445 boundary of the proposed excavation area with white paint, flags, 446 stakes or electronic pre-marking. 447 (b) For submerged facilities, the markings provided by 448 operators and the locate request ticket shall be valid for a 449 period of thirty (30) calendar days from the date and time the 450 locate request ticket is processed in the Mississippi 811, Inc.,

H. B. No. 1191 **~ OFFICIAL ~** 25/HR26/R1934CS PAGE 18 (RKM\KW)

451	system. The person responsible for the excavation project shall
452	renew the notification with Mississippi 811, Inc., at least seven
453	(7), and not more than ten (10), working days before this
454	expiration date and shall continue to renew the notification in
455	the same manner throughout the duration of the excavation. The
456	renewal notice shall be valid for a period of thirty (30) calendar
457	days from the date and time the renewal locate request is
458	processed in the Mississippi 811, Inc., system. The proposed
459	excavation location on a renewal locate request ticket may not
460	include any area in which the excavator already has completed the
461	excavation work. In addition to all other violations of this
462	chapter, renewing a locate request ticket that includes any area
463	within the proposed submerged excavation location in which the
464	excavator has already completed the excavation work constitutes a
465	violation of this chapter.
466	(c) A person seeking to excavate within the marine
467	exclusion zone shall request consent from operators with submerged
468	facilities located within the marine exclusion zone, and in such
469	instances, the operators, in good faith, shall respond to and
470	consult with the requesting excavator. Excavation may not occur
471	within the marine exclusion zone without the written consent from
472	operators with submerged facilities located within the marine
473	exclusion zone, which consent may not be unreasonably withheld.
474	SECTION 3. Section 77-13-9, Mississippi Code of 1972, is
475	amended as follows:

H. B. No. 1191	~ OFFICIAL ~
25/HR26/R1934CS	
PAGE 19 (RKM\KW)	

476 77-13-9. (1) Every person owning or operating underground 477 utility lines \* \* \*, underground facilities or submerged 478 facilities shall, upon receiving advance notice of the 479 commencement of excavation, in accordance with Section 77-13-5, 480 make an investigation \* \* \* to determine the approximate location 481 of its underground utility lines \* \* \*, underground facilities and 482 submerged facilities in the area of the proposed excavation, and 483 shall either: (a) mark the approximate location of underground 484 utility lines \* \* \*, underground facilities and submerged 485 facilities in or near the area of the excavation, so as to enable 486 the person engaged in excavation work to locate the lines and 487 facilities in advance of and during the excavation work and notify 488 the excavator through the PRIS that the facilities have been 489 marked; or (b) advise through the PRIS that it has no underground 490 utility lines \* \* \*, underground facilities or submerged 491 facilities in the excavation area \* \* \*. 492 (2) \* \* \* Unless otherwise agreed in writing between the operator and the excavator, the operator shall perform its 493 494 obligations described in subsection (1) of this section within the 495 following times: 496 (a) Standard Excavation: For an underground utility 497 line or underground facility in the area of excavation, within 498 three (3) working days from the time the locate request ticket is 499 processed in accordance with Section 77-13-5(1)(a). If an 500 operator can locate its underground utility lines or underground

H. B. No. 1191 **~ OFFICIAL ~** 25/HR26/R1934CS PAGE 20 (RKM\KW)

501	facilities in the excavation area only by excavation, the operator
502	shall provide notice of such through PRIS, and that operator shall
503	be allowed a reasonable amount of additional time, not to exceed
504	four (4) working days from the time the locate request ticket is
505	processed in accordance with Section 77-13-5(1)(a), to mark the
506	approximate location of the underground utility lines or
507	underground facilities. In lieu of marking described in
508	subsection (1) of this section, the operator may request to be
509	present at the site upon commencement of the excavation, so long
510	as the operator complies within three (3) working days from the
511	time the locate request ticket is processed in accordance with
512	Section 77-13-5(1)(a).
513	(b) Submerged Excavation: For a submerged facility in
514	the area of submerged excavation, within seven (7) working days
515	from the time the locate request ticket is processed in accordance
516	with Section 77-13-5(8).
517	(c) Emergency Excavation: For an underground utility
518	line or underground facility in the area of an emergency
519	excavation, within two (2) hours from the time the locate request
520	ticket is processed in accordance with Section 77-13-11.
521	(d) Impending Emergency Excavation: For an underground
522	utility line or underground facility in the area of impending
523	emergency excavation, before the start time of excavation provided
524	in the locate request ticket in accordance with Section
525	<u>77-13-5(1)(c).</u>

H. B. No. 1191 **~ OFFICIAL ~** 25/HR26/R1934CS PAGE 21 (RKM\KW) 526 (3) Before and during excavation, the excavator shall 527 inspect the excavation site and inform himself or herself of the 528 presence of marks and evidence of unmarked underground utility 529 lines or underground facilities on the excavation site. When an 530 excavator, upon arriving at an excavation site, sees evidence of 531 unmarked underground utility lines or underground facilities or 532 encounters an unmarked underground utility line or underground facility on an excavation site after excavation has commenced 533 534 where notice of intent has been made in accordance with the 535 provisions of this chapter, that excavator must immediately 536 contact Mississippi 811, Incorporated. All operator(s) thus 537 notified must contact the excavator within two (2) hours and 538 inform the excavator of any of their known underground facilities, 539 active or abandoned, at the site of the excavation. 540 (4) When marking the approximate location of the facilities, 541 the operator shall follow the color code designated and described 542 herein, unless otherwise provided for by specific administrative rule or regulation promulgated pursuant to this chapter, namely: 543 544 UTILITY OR TYPE OF FACILITY GROUP IDENTIFYING COLOR 545 Electric Safety Red 546 Petroleum Product/Hazardous/ Flammable/Corrosive/Toxic 547

549 Lines, Gas or Gaseous Material High Visibility Safety 550 Yellow

~ OFFICIAL ~

H. B. No. 1191 25/HR26/R1934CS PAGE 22 (RKM\KW)

Materials, Product and Steam

551 Telecommunications (including fiber

552	optics) and CATV	Safety Alert Orange
553	Potable Water	Safety Precaution Blue
554	Reclaimed Water, Irrigation,	
555	Slurry Lines	Purple
556	Sewer and Drain Lines	Safety Green
557	Temporary Survey Markings	High Visibility Pink
558	Proposed Excavation	White

(5) All utility facilities installed by owners or operators of utilities on or after January 1, 2010, shall be installed in such manner that the utility facility may be located by using a generally accepted electronic locating method.

563 \* \* \* If, before the expiration of the \* \* \* times set (6) 564 forth in subsection (2) of this section, all identified facility 565 owners or operators have responded to the locate request and all 566 have indicated that their facilities are either not in conflict or 567 have been marked as indicated through the use of the PRIS, then 568 the person planning to perform excavation or blasting shall be 569 authorized to commence work, subject to the other requirements of 570 this section, without waiting \* \* \* for the times in subsection 571 (2) of this section to expire.

572 (7) Upon receiving a design information request, the utility 573 owner or operator shall within seven (7) working days from the 574 time notice is provided in accordance with this chapter to 575 Mississippi 811, Incorporated, respond by one (1) of the following

H. B. No. 1191 **~ OFFICIAL ~** 25/HR26/R1934CS PAGE 23 (RKM\KW) 576 methods: (a) marking the approximate location of its underground 577 utility lines \* \* \*, underground facilities and submerged facilities in the area in accordance with subsection (1) of this 578 579 section; (b) providing to the person making the design information 580 request the best available description of its underground utility 581 lines \* \* \*, underground facilities and submerged facilities in 582 the area which may include drawings or other records maintained by 583 the utility owner or operator; or (c) allowing the person making 584 the design information request or any other authorized person to inspect or copy the drawings or other records for all underground 585 586 utility lines and utility facilities in the area.

587 \*\*\*

588 SECTION 4. Section 77-13-11, Mississippi Code of 1972, is 589 amended as follows:

The advance notice provisions of this chapter 590 77-13-11. (1) 591 shall not **\* \* \*** be required of any person making an emergency 592 excavation at times of emergency involving an imminent danger to life, health or property or a customer service outage. However, 593 594 every person who shall engage in such emergency excavation shall 595 take all necessary and reasonable precautions to avoid or minimize 596 interference with or damage to existing underground utility lines 597 and underground facilities in and near the excavation area, and 598 shall notify Mississippi 811, Incorporated, of the specifically 599 designated emergency excavation as promptly as reasonably possible 600 so that operators may locate and mark the location of underground

~ OFFICIAL ~

H. B. No. 1191 25/HR26/R1934CS PAGE 24 (RKM\KW)

utility lines and underground facilities in the specifically 601 602 designated emergency excavation area. In addition to the written, 603 electronic or telephonic notice information required in Section 604 77-13-5(1)(a), the excavator also shall provide contact 605 information for a person who is or will be present at the site of 606 the emergency excavation and will be readily available to discuss 607 the emergency excavation with operators. In the event of damage 608 to or dislocation of any underground utility lines or underground 609 facilities caused by any such emergency excavation work, the person responsible for the excavation shall immediately notify the 610 611 operator of the damaged or dislocated underground facilities of 612 the damage or dislocation.

613 (2) An imminent danger to life, health, property or customer 614 service exists whenever there is a substantial likelihood that 615 injury, loss of life, health or customer services, or substantial 616 property loss could result before the person responsible for the 617 excavation or demolition can fully comply with the notification 618 and response procedures required in Sections 77-13-7 and 77-13-17.

619 (3) Any misrepresentation of either an emergency excavation
620 or an impending emergency as defined in Section 77-13-3, shall
621 constitute a violation of this chapter.

622 SECTION 5. The following shall be codified as Section 623 77-13-12, Mississippi Code of 1972:

624 <u>77-13-12.</u> (1) If an excavator determines that the planned 625 excavation will be a large project excavation, the excavator may

H. B. No. 1191 **~ OFFICIAL ~** 25/HR26/R1934CS PAGE 25 (RKM\KW) 626 request a preconstruction meeting by submitting notice to

627 Mississippi 811, Inc. In the notice, the excavator shall provide 628 the following information:

(a) The location, date and time of the preconstruction
meeting, which must occur no sooner than ten (10) working days
after submission of the notice;

632

(b) The location of the proposed excavation;

(c) The names, addresses, telephone numbers and email addresses of the person responsible for the excavation, the excavator's preconstruction meeting contact person, and representatives of all known contractors and subcontractors that will perform work on the excavation;

(d) The expected starting date of the excavation, which
may occur no sooner than ten (10) working days after the
preconstruction meeting date;

(e) The anticipated duration of the excavation; and
(g) The types of excavation to be conducted and whether
or not explosives are to be used.

644 Upon receipt of the notice of preconstruction meeting (2)645 from the excavator, the Mississippi 811, Inc. system will generate 646 a preconstruction meeting ticket, and operators may report through 647 the use of PRIS their intent to attend the meeting. The excavator, operators with underground lines, underground 648 649 facilities, or submerged facilities in the area of the large 650 project excavation, and all other persons who will perform

H. B. No. 1191 **~ OFFICIAL ~** 25/HR26/R1934CS PAGE 26 (RKM\KW) 651 excavation work or utility locating services may participate in 652 the preconstruction meeting to exchange contact information and 653 attempt to reach agreement on the scope of the excavation work, 654 the dates of excavation activities, the operators' locating 655 schedule, and any other details that the excavator and operators 656 agree should be included in a written excavation agreement. If an 657 operator is unable to attend the preconstruction meeting, that 658 operator may meet separately or otherwise communicate with the 659 excavator to discuss the details of the excavation and attempt to 660 agree on the excavation terms. The written excavation agreement may be considered valid only if signed by the excavator and all 661 662 operators with underground lines, underground facilities or 663 submerged facilities in the area of the excavation.

664 If the excavator and operators execute a valid written (3) 665 excavation agreement, the excavator shall perform the large 666 project excavation according to the terms of the written agreement 667 and also shall submit advance notices of excavation and perform 668 all excavation work in accordance with Section 77-13-5. For all 669 locate request tickets processed in accordance with Section 670 77-13-5 as part of the large project excavation, operators shall 671 perform their utility locating obligations in accordance with 672 Section 77-13-9. If, after the written excavation agreement 673 becomes valid, the excavator determines that the excavation dates 674 will be delayed or the scope of the large project excavation area 675 will increase, the excavator and all operators with underground

~ OFFICIAL ~

H. B. No. 1191 25/HR26/R1934CS PAGE 27 (RKM\KW) 676 lines, underground facilities or submerged facilities in the area 677 of the excavation shall either execute a revised written 678 excavation agreement or the excavator shall submit a new 679 preconstruction meeting notice.

680 (4) If a written excavation agreement is not signed by the 681 excavator and all operators with underground lines, underground 682 facilities or submerged facilities in the area of the large 683 project excavation at least three (3) working days before the 684 expected starting date of the excavation, the large project 685 excavation classification shall be deemed null and void, the large 686 project excavation ticket shall be canceled, and the excavator 687 shall provide advance notice of and conduct the excavation in accordance with Section 77-13-5. 688

689 SECTION 6. Section 77-13-17, Mississippi Code of 1972, is 690 amended as follows:

691 77-13-17. (1) Any operator who fails to follow, abide by or 692 comply with this chapter shall be responsible for the cost or 693 expense the excavator shall incur as a direct result of the 694 failure of the operator to follow, abide by or comply with the 695 provisions of this chapter.

696 (2) Operators who have underground utility lines \* \* \*,
697 underground facilities <u>or submerged facilities</u> within the State of
698 Mississippi shall be a member of Mississippi 811, Inc.

(3) The person giving notice of the intent to excavate toMississippi 811, Inc., shall be furnished an individual locate

H. B. No. 1191 **~ OFFICIAL ~** 25/HR26/R1934CS PAGE 28 (RKM\KW) 701 request number for each notification and, upon request, shall be 702 furnished the names of the operators to whom the notification will 703 be transmitted.

(4) An adequate record of all notifications shall be maintained by Mississippi 811, Inc., in order to document timely compliance with this chapter. These records shall be retained for a period of not less than four (4) years and shall be made available at a reasonable cost upon proper and adequate advance request.

(5) The services of Mississippi 811, Inc., will be provided on working days as defined in Section 77-13-3(  $\star \star \star v$ ) at least between the hours of 7:30 a.m. and 5:00 p.m.

(6) Mississippi 811, Inc., will voice-record the notification telephone calls and after-hour calls will at least reach a voice recording which explains emergency notification procedures.

717 (7) All operators shall provide Mississippi 811, Inc., the 718 following information:

(a) A list of counties, cities and towns in which the
operator has underground utility lines \* \* \*, underground
facilities or submerged facilities in each county.

(b) A digital map, paper map or geospatial information
showing the location of the operator's underground utility
lines \* \* \*, underground facilities <u>and submerged facilities</u> or

H. B. No. 1191 **~ OFFICIAL ~** 25/hR26/R1934CS PAGE 29 (RKM\KW) 725 for other reasons wish to receive notification of proposed 726 excavation.

(c) An update on an annual basis of each operator's underground utility lines \* \* \*, underground facilities <u>and</u> <u>submerged facilities</u> for the State of Mississippi.

730 SECTION 7. This act shall take effect and be in force from731 and after July 1, 2025.